


# STAS.

## Transform your room.

### Product catalogue



**A flexible wall and ceiling decor without wall damage**

**Clear communication and route indication**

**Hanging art safely and professionally**

**A tidy work and living environment**



**STAS**  
picture hanging systems



# Index

<b>Rail systems</b>	<b>6</b>
<b>Rail systems with lighting</b>	<b>23</b>
<b>Hooks and cords for rail systems</b>	<b>32</b>
<b>Magnetic hanging solutions</b>	<b>40</b>
<b>Other hanging solutions</b>	<b>42</b>
<b>Complementary products</b>	<b>68</b>
<b>Profile drawings</b>	<b>71</b>
<b>Product index</b>	<b>75</b>

## STAS picture hanging systems

**What makes a room comfortable?**  
You'd be surprised how much influence the items hanging on walls and from the ceiling have on the feeling of comfort of a room. Wall decorations, advertisements, wayfinding signs... all of these affect people's behaviour. At STAS, we provide flexible picture hanging systems and accessories that are aimed to improve rooms. And we believe that these solutions should serve the purpose of the room itself.

- We make sure to provide a total solution for your room, so that...**
- ... kids in the classroom can focus without any distractions from a cluttered classroom wall
  - ... art lovers can enjoy an art collection that hangs neatly and secured
  - ... restaurant patrons opt for a cup of coffee after dessert
  - ... meetings in the office become more efficient
  - ... residents of nursing homes get inspired and relive beautiful memories
  - ... and you can change your home interior whenever you want, to your taste

With STAS you'll never have to drill unnecessary holes in your walls again and you can change or move your wall decor whenever you want. From light to dark and from functional to decorative.

**So ... how are you going to change your interior?**

**STAS. Transform your room.**

## NEW

<b>STAS Wi-Fi smart LED</b>	<b>28</b>	<b>STAS suspension sets</b>	<b>62</b>
Smart Wi-Fi-controlled picture lighting (dimmable).		Sturdy suspension kits for lighting, route indication, panels, etc.	
<b>STAS stabilization support set</b>	<b>46</b>	<b>STAS TV hanger</b>	<b>70</b>
A convenient set for hanging paintings straight underneath each other.		Hang your TV flexibly and without drilling.	
<b>STAS no-tilt set</b>	<b>52</b>		
The solution for forward-slanting picture frames!			

## About STAS

At STAS we develop, manufacture and distribute safe and flexible hanging solutions for a wide range of wall objects. These can include both decorative objects (paintings, drawings) and practical items (whiteboards, coat hooks, mirrors). Our solutions are aimed to improve rooms. Serving the purpose of the room is therefore key in our approach.

Our ever growing team of qualified experts is passionately committed to providing highquality products, personal service, and to share with you the freedom to transform your room, however you like. Whether this would be functional, decorative... or mix it up all together!

STAS was founded by the brothers Stas in 1995. With their hands on experience in building and carpentry, and an innate business instinct, they took the market by storm. Since then, STAS has grown into an award-winning and internationally operating cooperation that delivers to home owners, businesses and renowned galleries all over the world. All of our STAS products feature quality components, competitive pricing, and innovative (patented) designs for fast, easy, and professional hanging of wall decoration.

### André CEO / owner

We are committed to sustainable growth with high-quality products and excellent service.



### Rien CEO / owner

We distinguish ourselves in the market with innovative and patented products.



## Meet our

## sales team

There is a good chance that, at some point, you've been in contact with one of our sales employees. They will gladly give you a quotation or provide you with excellent advice about our products.


### Paul sales manager

STAS picture hanging systems are worldwide available.



### Eline sales manager export

You can contact me with all of your questions.



### Maike sales executive Italy


Ciao! I am happy to advise all our Italian customers.



### Rouben account manager Belgium

I provide our Belgian customers with optimal service.





## Index

## Rail systems

Rail	Weight capacity	Installation	Adjoining to ceiling?	Page
STAS minirail	25 kg/m	wall	no	7
STAS cliprail	20 kg/m	wall	no	8
STAS cliprail max	25 kg/m	wall	yes	9
STAS cliprail pro	45 kg/m	wall	no	10
STAS plasterrail	15 kg/m	wall	n/a	11
STAS j-rail	25 kg/m	wall	no	12
STAS j-rail max	100 kg/m	wall	no	13
STAS u-rail	20 kg/m	ceiling	n/a	14
STAS windsor	20 kg/m	wall	no	15
STAS riva	20 kg/m	wall	yes	15
STAS evoluon	20 kg/m	wall	no	16
STAS drywallXpress	30 kg/m	wall	no	17
STAS plasterboard rail	25 kg/m	wall	yes	18
STAS drop ceiling rail	25 kg/m	wall	yes	19
STAS prorail flat	45 kg/m	ceiling	yes	20
STAS prorail max	45 kg/m	wall	yes	21
STAS prorail crown	45 kg/m	wall	n/a	22



## STAS minirail

### sleek and strong

STAS minirail is characterised by its extremely slim, narrow design and innovative mounting method.

The rail itself is just 16 mm in height, yet it can carry up to 25 kg per linear metre. Thanks to an innovative screw, the STAS clipscrew, the rail can easily be fixed to the wall.

STAS minirail is perfect for creating an elegant, unobtrusive hanging system for light to mediumweight objects.



- dimensions 9 x 16 mm
- length 150, 200 or 300 cm
- aluminium
- white, alu or black
- wall mountable, not adjoining to ceiling
- weight capacity 25 kg/m
- 5 years warranty

SCAN FOR MANUAL



### Parts

#### STAS minirail

RM10150 150 cm white  
RM10120 200 cm white  
RM10130 300 cm white

RM30150 150 cm alu  
RM30120 200 cm alu  
RM30130 300 cm alu

RM20150 150 cm black  
RM20120 200 cm black  
RM20130 300 cm black



#### STAS minirail combicap

RY10200 white  
RY30200 alu  
RY20200 black

(2 x end cap / 1 x corner cap)



#### STAS minirail rail connector

RD10200

#### STAS plug

SR50700



#### STAS minirail clipscrew torx

SR10200

(metal, 3 per m<sup>2</sup>)

For matching hooks and cords, see page 33.



## STAS cliprail

### the perfect basis

STAS cliprail is a high-quality picture hanging system without bells and whistles. It is easy to install and feels right at home in every interior.

The cliprail owes its name to the specially designed fastening clip - the STAS railclip - which allows easy fixation to the wall.



## STAS cliprail max


### perfect gap-free ceiling connection

STAS cliprail max is a hanging system for the perfectionist. An extra rim ensures the rail connects beautifully with the ceiling. With this system, your ceiling, wall and picture hanging system unite as one.

The rail is most attractive when fixed to flat ceilings.

STAS cliprail max owes its name to the specially designed fastening clip - the STAS railclip - which allows easy fixation to the wall.

For the best result, you can neatly finish the transition between the STAS cliprail max and the ceiling by adding an (acrylic) sealant.



- dimensions 8.2 x 25 mm
- length 150, 200 or 300 cm
- aluminium
- white, alu or black
- wall mountable, not adjoining to ceiling
- weight capacity 20 kg/m
- 5 years warranty



- dimensions 8,3 x 31,6 mm
- length 150, 200 or 300 cm
- aluminium
- white, alu or black
- wall mountable, adjoining to ceiling
- weight capacity 25 kg/m
- 5 years warranty



#### Parts

##### STAS cliprail

RC10315 150 cm white  
RC10320 200 cm white  
RC10330 300 cm white

RC30115 150 cm alu  
RC30120 200 cm alu  
RC30130 300 cm alu

RC20115 150 cm black  
RC20120 200 cm black  
RC20130 300 cm black



##### STAS cliprail end cap

RD10300 white  
RD30300 alu  
RD20300 black



##### STAS cliprail corner cap

RD10400 white  
RD30400 alu



**STAS railclip**  
RD40100  
(metal, 3 per m<sup>2</sup>)



**STAS rail connector**  
RD40200  
(metal)



**STAS plug**  
SR50700



**STAS screw**  
torx  
SR30600

#### Parts

##### STAS cliprail max

RC10215 150 cm white  
RC10220 200 cm white  
RC10230 300 cm white

RC30215 150 cm alu  
RC30220 200 cm alu  
RC30230 300 cm alu

RC20215 150 cm black  
RC20220 200 cm black  
RC20230 300 cm black



##### STAS cliprail max combicap

RY10100 white  
RY30100 alu  
RY20300 black  
(2 x end cap / 1 x corner cap)



**STAS railclip**  
RD40100  
(metal, 3 per m<sup>2</sup>)




**STAS rail connector**  
RD40200  
(metal)



**STAS plug**  
SR50700



**STAS screw**  
torx  
SR30600



# STAS cliprail pro

## elegant powerhouse

STAS cliprail pro is ideal for hanging heavier objects on walls thanks to its thick-walled profile. This rail can carry an amazing 45 kg per linear metre.

Despite its large weight-bearing capacity, the STAS cliprail pro is an elegant, unobtrusive rail that can be used in professional environments as well as in the home.

STAS cliprail pro owes its name to the specially designed fastening clip - the STAS railclip - which allows easy fixation to the wall.



- dimensions 11,3 x 28 mm
- length 150, 200 or 300 cm
- aluminium
- white or alu
- wall mountable, not adjoining to ceiling
- weight capacity 45 kg/m
- 5 years warranty



## Parts

**STAS cliprail pro**  
VC10150 150 cm white  
VC10200 200 cm white  
VC10300 300 cm white

VC30150 150 cm alu  
VC30200 200 cm alu  
VC30300 300 cm alu



**STAS cliprail pro end cap**  
VE10200 white  
VE30200 alu

**STAS cliprail pro corner cap**  
VD10400 white  
VD30400 alu



**STAS railclip**  
RD40100  
(metal, 3 per m<sup>2</sup>)

**STAS rail connector**  
RD40200  
(metal)



**STAS plug**  
SR50700

**STAS screw torx**  
SR30600

## Parts

**STAS plasterrail**  
PR30200 200 cm  
including safety strip





## STAS j-rail

### professional versatility

The design of STAS j-rail was based on the shape of the letter J. This shape allows the rail to be combined in all kinds of different ways using hooks, cords and even rods.

For example, by using a rod instead of a cord or steel cable, moving or alternating works of art on high ceilings becomes a piece of cake. You won't need a ladder, because the rod can be lifted out of the rail from below.

STAS j-rail has a somewhat industrial look and is applied regularly in art galleries and in business premises.

- dimensions 7 x 20 mm
- length 150, 200 or 300 cm
- aluminium
- white or alu
- wall mountable, not adjoining to ceiling
- weight capacity 25 kg/m
- 5 years warranty



#### Parts

**STAS j-rail**  
RJ10115 150 cm white  
RJ10120 200 cm white  
RJ10130 300 cm white

RJ30115 150 cm alu  
RJ30120 200 cm alu  
RJ30130 300 cm alu

(4 holes per m<sup>2</sup>)



**STAS j-rail  
screw flush head**  
SJ10100 white  
SJ30100 alu

**STAS plug**  
SR50700

## STAS j-rail max

### heavyweight champion

STAS j-rail max is designed for the heavy objects. The thick-walled aluminium profile is capable of supporting loads of up to 100 kg per linear metre.

What's more, STAS j-rail max is combined with rods instead of cords, which makes alternating and moving heavy works of art on high ceilings a piece of cake. You won't need a ladder, because the rod can be lifted out of the rail from below.

The STAS j-rail max system is also available with theft-delaying security hooks and is often used in art galleries and museums.

- dimensions 9 x 21 mm
- length 150, 200 or 300 cm
- aluminium
- white or alu
- wall mountable, not adjoining to ceiling
- weight capacity 100 kg/m
- 5 years warranty



#### Parts

**STAS j-rail max**  
RJ10215 150 cm white  
RJ10220 200 cm white  
RJ10230 300 cm white

RJ30215 150 cm alu  
RJ30220 200 cm alu  
RJ30230 300 cm alu

(4 holes per m<sup>2</sup>)



**STAS j-rail max screw  
sunk head**  
SJ10200 white  
SJ30200 alu

**STAS plug**  
SR50700

For matching hooks and cords, see page 35.

For matching hooks and cords, see page 34.




## STAS u-rail

suspended ceiling becomes

hanging system

STAS u-rail is specially designed for suspended ceilings. The rail is easily and almost invisibly attached to the supporting edge trim of the suspended ceiling.

STAS u-rail is also ideally suited for hanging whiteboards, art or large maps. So now, with just a small modification, your suspended ceiling becomes a versatile picture hanging system, ideal for use in offices, schools and healthcare facilities.



## STAS windsor & riva

bring a piece of nature into your home



In addition to aluminum rails, STAS also offers wooden rails in 2 different models. The STAS windsor is elegant and warm where the STAS riva has a more robust look and feel. Two distinctive models, suitable for any interior! Both models are easy to use and each has a different profile for which fitting hooks are available.

Our wooden rails are made out of Ayous wood and are FSC and PEFC certificated. Ayous wood differs from other wood since it does not deform or splinter, and is perfectly suitable to repaint because of its smooth texture. Perfect wood for your picture hanging system! Can be mounted screwed, nailed and glued\*.

\* The weight capacity of a glued rails is highly dependent on the surface, so care must be taken here. More information on how to best glue our wooden rails can be found on our website [www.stasgroup.com](http://www.stasgroup.com)



- dimensions 14 x 6,5 mm
- length 150, 200 or 300 cm
- aluminium
- white, alu or black
- ceiling mountable
- weight capacity 20 kg/m
- 5 years warranty



### STAS windsor

- dimensions 18 x 45 mm
- length 120 or 240 cm
- Ayous wood
- wall mountable, not adjoining to ceiling
- weight capacity 20 kg/m
- 5 years warranty

### STAS riva

- dimensions 17 x 45 mm
- length 120 or 240 cm
- Ayous wood
- wall mountable, adjoining to ceiling
- weight capacity 20 kg/m
- 5 years warranty



### Parts

#### STAS u-rail

RP10115 150 cm white  
RP10120 200 cm white  
RP10130 300 cm white

RP30115 150 cm alu  
RP30120 200 cm alu  
RP30130 300 cm alu

RP20115 150 cm black  
RP20120 200 cm black  
RP20130 300 cm black

(8 holes per m<sup>2</sup>)



#### STAS u-rail screw

SP10100 white  
SP30100 alu  
SP20100 black

### Parts

#### STAS windsor

RP50220 120 cm  
RP50224 240 cm


#### STAS riva

RP50120 120 cm  
RP50124 240 cm

For matching hooks and cords, see page 37.



For matching hooks and cords, see page 33.



## STAS evoluon

### bends along with you

From now on, curved walls can also be used optimally with the STAS evoluon! The STAS evoluon has been specially developed for curved walls, but this rail is just as easy to mount on straight walls or (slightly) undulating walls.

The rail is bendable and can be bent perfectly proportional along the contours of a wall by means of a supplied auxiliary tool. In this way, the STAS evoluon provides hanging possibilities for difficult places and walls otherwise unusable for picture rails.

- dimensions 20 x 3 mm
- length 200 cm
- aluminium
- alu
- wall mountable, not adjoining to ceiling
- weight capacity 20 kg/m
- 5 years warranty



#### Parts

**STAS evoluon**  
TCS30020 200 cm  
(4 holes per m<sup>2</sup>)



**STAS bending mold evoluon**  
TCS9020 30 cm



**STAS plug**  
SR50700



**STAS distance holder evoluon**  
TCS9012



**STAS evoluon hook**  
TCS9016



**STAS screw evoluon**  
SJ30300

## STAS drywallXpress

PATENT PENDING

### no stress with the drywallXpress

With the STAS drywallXpress you can mount a picture hanging system on a plaster wall in no time. No need to pick up that drill because you don't have to drill to assemble this system.

The STAS drywallXpress is a complete picture hanging system that consists of clips, STAS cliprail and an auxiliary tool. With the help of the enclosed tool and a hit with a hammer you can easily push the metal clips into your plaster wall. Click the rail onto the clips and combine this picture hanging system with the STAS cords with cobra.

STAS drywallXpress: the easiest picture hanging system in the world!

#### STAS drywall clip

- dimensions 23 x 35 x 18 mm
- RVS
- wall mountable, not adjoining to ceiling
- weight capacity 20 kg/m
- 5 years warranty

#### STAS cliprail

- dimensions 8,2 x 25 mm
- length 150, 200 or 300 cm
- aluminium
- white, alu or black
- wall mountable, not adjoining to ceiling
- weight capacity 20 kg/m
- 5 years warranty



#### Parts

**STAS cliprail**  
RC10315 150 cm white  
RC10320 200 cm white  
RC10330 300 cm white

RC30115 150 cm alu  
RC30120 200 cm alu  
RC30130 300 cm alu

RC20115 150 cm black  
RC20120 200 cm black  
RC20130 300 cm black



**STAS cliprail end cap**  
RD10300 white  
RD30300 alu  
RD20300 black



**STAS cliprail corner cap**  
RD10400 white  
RD30400 alu



**STAS drywall clip**  
RD40400



**STAS drywallXpress connector**  
RT40200



**STAS drywall tool**  
RD40501



# STAS plasterboard rail

## integrated ceiling rail

The STAS plasterboard rail is a built-in picture hanging system for rooms to be built or renovated with plaster, timber or concrete walls and plasterboard ceilings. The picture hanging system together with the wooden framework, is mounted under the beam layer on the wall.

Thanks to the 2 different profiles (9.5 mm / 12.5 mm), plasterboards with a thickness of 9 mm or 12 mm can be slid into the profiles of the STAS plasterboard rail. The result is a tightly finished room with an almost invisible picture hanging system that disappears into the shadow line of the plasterboards.

The STAS plasterboard rail can be used with the STAS cords with cobra.

- dimensions 9,5 mm rail 31 x 36 mm  
dimensions 12,5 mm rail: 34 x 36 mm
- length 200 or 300 cm
- aluminium
- white (RAL 9016)
- wall mountable
- weight capacity 25 kg/m
- 5 years warranty



## Parts

**STAS plasterboard rail**  
PC10120 200 cm 9,5 mm  
PC10130 300 cm 9,5 mm

PC10020 200 cm 12,5 mm  
PC10030 300 cm 12,5 mm



**STAS plasterboard rail  
inner corner profile**  
PC10170 9,5 mm  
PC10070 12,5 mm  
(with corner connector)



**STAS plasterboard rail  
outside corner profile**  
PC10180 9,5 mm  
PC10080 12,5 mm  
(with corner connector)



**STAS rail connector**  
RD20400



**STAS corner connector**  
RD20500



**STAS hammer fixing plug**  
(5 per m²)  
SR10400

For matching hooks and cords, see page 33.

# STAS drop ceiling rail

## all-in solution for drop ceilings

The STAS drop ceiling rail is an all-in solution for rooms with a drop ceiling. The STAS drop ceiling rail replaces the wooden ceiling tile support strips and the corner profile for installing drop ceilings, and is equipped with a picture hanging system as well.

Thanks to the innovative profile of the STAS drop ceiling rail, the picture hanging system can be mounted directly on the wall. Corner profile and picture hanging system become one. The suspended ceiling plates can be placed in the profile of the STAS drop ceiling rail. The result is an almost invisible picture hanging system that disappears in the shadow line of the drop ceiling.

The STAS drop ceiling rail can be used with the STAS cords with cobra.

- dimensions 31 x 35 mm
- length 200 or 300 cm
- aluminium
- white (RAL 9016)
- wall mountable
- weight capacity 25 kg/m
- 5 years warranty



## Parts

**STAS drop ceiling rail**  
GC10020 200 cm  
GC10030 300 cm



**STAS drop ceiling rail  
inner corner profile**  
GC10070  
(with corner connector)



**STAS drop ceiling rail  
outside corner profile**  
GC10080  
(with corner connector)



**STAS rail connector**  
RD20400




**STAS corner connector**  
RD20500



**STAS hammer fixing plug**  
(5 per m²)  
SR10400

For matching hooks and cords, see page 33.



## STAS prorail flat

almost invisible

The STAS prorail flat is a picture hanging system that can be concealed in plasterwork, flat decorative framework or molding. You will enjoy the convenience of a picture hanging system, but not the look of a visible rail on your wall.

This rail system is suitable for newly built and renovations in existing properties. The STAS prorail flat can be mounted on the ceiling and can be used with the STAS cables with cobra.



- dimensions 31,3 x 18 mm
- length 200 or 300 cm
- aluminium
- white
- ceiling mountable
- weight capacity 45 kg/m
- 5 years warranty



## STAS prorail max

perfectly fitting to the ceiling

The STAS prorail max is a picture hanging system for the perfectionist. The top rim ensures that the rail fits tightly against the ceiling. With this picture hanging system, ceiling, wall and picture rail unite as one. It is also possible to hide cables behind the top rim. Neatly finish the transition between the STAS prorail max and the ceiling with an (acrylate) kit for an optimal result.

- dimensions 11,3 x 38,3 mm
- length 150, 200 or 300 cm
- aluminium
- white or alu
- wall mountable, adjoining to ceiling
- weight capacity 45 kg/m
- 5 years warranty

### Parts

**STAS prorail flat**  
RH10515 150 cm white  
RH10520 200 cm white  
RH10530 300 cm white

(4 holes per m<sup>2</sup>)



**STAS multirail flat rail connector**  
RD20400



**STAS multirail flat screw**  
SJ10200



**STAS multirail flat corner connector**  
RD20500



**STAS plug**  
SR50700

### Parts

**STAS prorail max**  
RM10415 150 cm white  
RM10420 200 cm white  
RM10430 300 cm white

RM30415 150 cm alu  
RM30420 200 cm alu  
RM30430 300 cm alu



**STAS multirail max end cap**  
VE10400 white  
VE30400 alu



**STAS multirail max corner cap**  
VD20500 white  
VD30500 alu



**STAS railclip**  
RD40100  
(metal, 3 per m<sup>2</sup>)



**STAS rail connector**  
RD40200  
(metal)



**STAS plug**  
SR50700



**STAS screw torx**  
SR30600



# STAS prorail crown

## decorative frame takes the lead

STAS prorail crown is a picture hanging system for wall mounting and can be concealed with a decorative frame of your choice.

- dimensions 12,7 x 37,5 mm
- length 150, 200 or 300 cm
- aluminium
- white
- wall mountable
- weight capacity 45 kg/m
- 5 years warranty



### Parts

**STAS prorail crown white**  
RH10415 150 cm white  
RH10420 200 cm white  
RH10430 300 cm white



**STAS multirail crown rail connector**  
RD20400



**STAS multirail crown screw**  
RD20500



**STAS multirail crown corner connector**  
RD20500



**STAS plug**  
SR50700

For matching hooks and cords, see page 33.



## Index

## Rail systems with lighting

Rail	Weight capacity	Installation	Adjoining to ceiling?	Page
STAS multirail	45 kg/m <sup>1</sup>	wall	no	24
STAS multirail max	45 kg/m <sup>1</sup>	wall	yes	25
STAS multirail crown	45 kg/m <sup>1</sup>	wall	n/a	26
STAS multirail flat	45 kg/m <sup>1</sup>	ceiling	n/a	27
STAS Wi-Fi smart LED	n/a	n/a	n/a	28
STAS Wi-Fi smart plug	n/a	n/a	n/a	29
STAS spotlights	n/a	n/a	n/a	30
STAS fixtures	n/a	n/a	n/a	30
STAS adapters	n/a	n/a	n/a	31



## STAS multirail

### hanging and lighting rolled into one

A STAS multirail system is a picture hanging system and artwork lighting rolled into one.

Inside the rail, 12 V wiring (low voltage) has been integrated. Various matching light fixtures can then be clicked into the rail at any position you choose, accentuating your wall decorations. In combination with LED lighting, the STAS multirail is very energy efficient.

- dimensions 11,3 x 28 mm
- length 150, 200 or 300 cm
- aluminium
- white or alu
- wall mountable, not adjoining to ceiling
- weight capacity 45 kg/m
- 12 V (low voltage)
- adapter 18W, 36W, 84W, 96W
- 5 years warranty on rails, 1 years on accessories



#### Parts

**STAS multirail**  
VH10150 150 cm white  
VH10200 200 cm white  
VH10300 300 cm white

VH30150 150 cm alu  
VH30200 200 cm alu  
VH30300 300 cm alu



**STAS multirail end cap**  
VE10200 white  
VE30200 alu



**STAS multirail corner cap**  
VD10400 white  
VD30400 alu

**STAS railclip**  
RD40100  
(metal, 3 per m<sup>2</sup>)



**STAS rail connector**  
RD40200  
(metal)



**STAS plug**  
SR50700



**STAS screw torx**  
SR30600



**STAS multirail conductor 12 V straight**  
VF50200



**STAS multirail conductor 12 V corner**  
VF50100

## STAS multirail max

### perfect gap-free ceiling connection

A STAS multirail system is a picture hanging system and artwork lighting rolled into one. Inside the rail, 12 V wiring (low voltage) has been integrated. Various matching light fixtures can then be clicked into the rail at any position you choose, to accentuate your wall decorations.

The STAS multirail max distinguishes itself thanks to the extra rim that ensures a tight fit against flat ceiling surfaces. With this system, your ceiling, wall and picture hanging system unite as one. Cables can be hidden behind the rim.

For the best result, you can neatly finish the transition between the STAS multirail max and the ceiling by applying an (acrylic) sealant.

- dimensions 11,3 x 38,3 mm
- length 200 or 300 cm
- aluminium
- white or alu
- wall mountable, adjoining to ceiling
- weight capacity 45 kg/m
- 12 V (laagspanning)
- adapter 18W, 36W, 84W, 96W
- 5 years warranty on rails, 1 year on accessories



#### Parts

**STAS multirail max**  
VC10420 200 cm white  
VC10430 300 cm white

VC30420 200 cm alu  
VC30430 300 cm alu



**STAS multirail max end cap**  
VE10400 white  
VE30400 alu



**STAS multirail max corner cap**  
VD20500 white  
VD30500 alu

**STAS railclip**  
RD40100  
(metal, 3 per m<sup>2</sup>)



**STAS rail connector**  
RD40200  
(metal)



**STAS plug**  
SR50700



**STAS screw torx**  
SR30600



**STAS multirail conductor 12 V straight**  
VF50200



**STAS multirail conductor 12 V corner**  
VF50100



## STAS multirail crown

### moulding in the spotlights

A STAS multirail system is a picture hanging system and artwork lighting rolled into one.

Inside the rail, 12 V wiring (low voltage) has been integrated. Various matching light fixtures can then be clicked into the rail at any position you choose, to accentuate your wall decorations.

STAS multirail crown is a picture hanging system that is mounted virtually invisibly on the wall and can be combined with a moulding of your choice.

- dimensions 12,7 x 37,5 mm
- length 200 or 300 cm
- aluminium
- white
- wall mountable
- weight capacity 45 kg/m
- 12 V (low voltage)
- adapter 18W, 36W, 84W, 96W
- 5 years warranty on rails, 1 year on accessories



#### Parts

**STAS multirail crown**  
RC10420 200 cm white  
RC10430 300 cm white



**STAS multirail crown rail connector**  
RD20400



**STAS multirail crown screw**  
SJ10200



**STAS multirail conductor 12 V straight**  
VF50200



**STAS multirail crown corner connector**  
RD20500



**STAS plug**  
SR50700



**STAS multirail conductor 12 V corner**  
VF50100

## STAS multirail flat

### concealed class

A STAS multirail system is a picture hanging system and artwork lighting rolled into one.

Inside the rail, 12 V wiring (low voltage) has been integrated. Various matching light fixtures can then be clicked into the rail at any position you choose, to accentuate your wall decorations.

STAS multirail flat is a ceiling-mounted picture hanging system that can be virtually invisibly integrated with stucco work or with a single or double flat moulding.

- dimensions 31,3 x 18 mm
- length 200 or 300 cm
- aluminium
- white
- ceiling mounting
- weight capacity 45 kg/m
- 12 V (low voltage)
- adapter 18W, 36W, 84W, 96W
- 5 years warranty on rails, 1 year on accessories



#### Parts

**STAS multirail flat**  
RC10520 200 cm white  
RC10530 300 cm white

(4 holes per m<sup>2</sup>)



**STAS multirail crown rail connector**  
RD20400



**STAS multirail flat screw**  
SJ10200



**STAS multirail conductor 12 V straight**  
VF50200



**STAS multirail crown corner connector**  
RD20500



**STAS plug**  
SR50700



**STAS multirail conductor 12 V corner**  
VF50100



NEW

**eSMART**  
by STAS



## STAS fixtures for STAS Wi-Fi smart LED

These 3 different fixtures have been specially developed for the STAS Wi-Fi smart LED and the STAS multirail systems. The STAS Wi-Fi smart LED lamp can be easily mounted on a fixture with the supplied Allen key. You can easily click a fixture on a desired spot in the STAS multirail. The Classic fixture can only be adjusted in height and the lamp base can be turned. The Sirius fixture has a flexible part that allows you to make small adjustments in the direction of the light beam.

# STAS multirail accessories

## smart lighting



Works with Wi-Fi



Warm/cool white & RGB



Timer



Remote control



Group control



Energy saving


## STAS Wi-Fi smart LED

The STAS Wi-Fi smart LED is a smart LED lamp that can be used with a specific range of STAS fixtures. You don't have to be a technician to install this smart LED lamp, a good Wi-Fi signal is simply enough. With the accompanying free app and connected to your Wi-Fi network, you can easily switch the STAS Wi-Fi smart LED lamps on and off. It is even possible to illuminate each painting individually with the desired light color and light intensity (2700K warm light > 6500K daylight). From a crisp light in the morning to a warm and cozy light in the evening. With the STAS Wi-Fi smart LED, the colors in your wall decoration come into their own even more beautifully.


The STAS Wi-Fi smart LED lamps are 100% continuously dimmable and that without the intervention of an external Hub. It is also possible to create groups for certain rooms and the lamps have a timer setting so that your lighting can be switched on and off automatically. As icing on the cake, the STAS Wi-Fi smart LED also supports voice control in combination with Amazon Alexa, Siri and Google Home.



STAS multirail fixture  
GU5.3 classic white incl.  
STAS Wi-Fi smart LED  
VA15516 50 cm  
VA15716 70 cm



STAS multirail fixture GU5.3  
classic chrome incl.  
STAS Wi-Fi smart LED  
VA35516 50 cm  
VA35716 70 cm



STAS multirail fixture  
sirius chrome incl.  
STAS Wi-Fi smart LED  
VA35416 40 cm  
VA35616 50 cm



## STAS Wi-Fi smart plug

You really don't have to be a technical miracle to remotely control or automate your connected equipment. All you need is our smart plug called the STAS Wi-Fi smart plug and your Wi-Fi router. Connected to the STAS Wi-Fi smart plug, you can remotely operate the STAS multirail or other electronic devices. With the free app and connected to your Wi-Fi network, you can easily switch the STAS multirail on and off. This way you are always in control of lighting the art on your wall.

	VL20300
Power	5 W
Output equivalent	30 W
Max. consumption	5 W
Light intensity	300 lm
Infrared radiation	none
Colour temperature cool	6500 K + RGB
Colour temperature warm	2700 K
Light beam	standard - diffuse
Beam angle	100°
Socket	MR16-GU5.3
Vibrational impact	low
Lifespan	15000
Energy class	A+



STAS Wi-Fi smart LED  
VL20300



STAS remote control for STAS  
Wi-Fi smart-led  
VT40800

Download the Smart life app:



Compatible with:  
Google Assistant Siri Amazon Alexa

System requirements  
· The Tuya smart app requires system iOS 9 or higher, Android 4.4 or higher.  
· Provide a properly functioning wireless network and internet connection.

1 year warranty applies to all multirail accessories.

The STAS Wi-Fi smart plug has a handy timer function so that the STAS multirail switches on automatically when, for example, you come home from work or when you are on holiday. In addition, the STAS Wi-Fi smart plug also supports voice support in combination with Amazon Alexa or Google Home.



STAS Wi-Fi smart plug  
VT30700


# STAS multirail accessories

## Spotlights

STAS offers 3 different LED spotlights. Your choice depends on your personal preference in terms of energy efficiency, light colour, warmth radiation and the shape and intensity of the light beam. All spotlights fit on all light fixtures. 1 year warranty applies to all multirail accessories.


### STAS ledspot 3,5 W / 27°

Emits a narrow beam of light suitable for small paintings.

	VL10200
	
Power	3.5 W
Output equivalent	20 W
Max. consumption	3.5 W
Light intensity	200 lm
Infrared radiation	none
Light colour	warm white
Colour temperature	2700 K
Light beam	standard - diffuse
Beam angle	27°
Socket	MR11-GU4.0
Vibrational impact	low
Lifespan	40.000
Energy class	A+

### STAS ledspot 3,5 W / 95°

Emits a wide beam of light suitable for large artworks.

	VL10900
	
Power	3.5 W
Output equivalent	20 W
Max. consumption	3.5 W
Light intensity	200 lm
Infrared radiation	none
Light colour	warm white
Colour temperature	2700 K
Light beam	standard - diffuse
Beam angle	95°
Socket	MR11-GU4.0
Vibrational impact	low
Lifespan	40.000
Energy class	A+

## Armaturen

STAS offers a choice of 3 different light fixtures in various lengths. Your choice depends on your personal preference and on the size of the artwork you wish to illuminate. Every light fixture fits on all multirail systems.

### Tips

The bigger the distance between light source and wall, the bigger the artwork that can be illuminated. In other words: choose a large fixture for lighting a large work of art.


### Adjusting

All fixtures have a flexible or hinged part with which small adjustments to the beam angle can be made.


1 year warranty applies to all multirail accessories.



**STAS multirail fixture classic**  
VA10500 50 cm white  
VA10700 70 cm white  
VA30500 50 cm chrom  
VA30700 70 cm chrom



**STAS multirail fixture sirius chrom**  
VA30365 40 cm  
VA30465 50 cm  
VA30665 65 cm



**STAS multirail fixture signo chrom**  
VA30770 70 cm



## Adapters

The choice of an adapter depends on 3 things:

1. the type of spotlight you'd like to use
2. the number of spotlights you'd like to install
3. the number of metres of rail you'd like to install

View the tables below for the best choice.

STAS adapters				
	VT20500 STAS multirail adapter 18W	VT20036 STAS multirail adapter 36W	VT20084 STAS multirail adapter 84W	VT20300 STAS multirail adapter 96W
Input voltage	AC100-240V ~ 50/60Hz 0.7A	100-240VAC 50/60Hz	100-240VAC 50/60Hz	AC100-240V ~ 50/60Hz 2A
Output voltage	DC 12V == 1.5A	12V DC 3A	12V DC 7A	DC 12V == 8A
Ampère	1.5A	3A	7A	8A
Dimensions (l x h x b)	75 x 86 x 36 mm	105 x 45 x 28.5mm	155 x 60 x 37mm	149 x 38 x 65 mm
Weight	180 gr	220 gr	490 gr	600 gr
Connection	input plug (EU) output cable 3 m	input plug (EU) (US) 1.8 m output cable 3 m	input plug (EU) (US) 1.8 m output cable 3 m	input cable (EU) 1.5 m output cable 3 m
Quality label	CE   GS TÜV   WEEE	UL   CE   EMC   RoHS   REACH	UL   CE   EMC   RoHS   REACH	UL CE   GS TÜV   WEEE



**STAS multirail adapter 18 W**  
VT20500



**STAS multirail adapter 36 W**  
VT20036



**STAS multirail adapter 84 W**  
VT20084



**STAS multirail adapter 96 W**  
VT20300

### Number of spotlights

		Led 3,5 W	Led 4 W	Led 5 W
VT20500	Adapter 18 W	4	3	2
VT20036	Adapter 36 W	8	7	6
VT20084	Adapter 84 W	20	17	14
VT20300	Adapter 96 W	25	20	15
Maximum number of meters of rail per adapter		16	16	16

### Using multiple adapters

In case you would like to use more than the below mentioned number of metres or spots, you will have to use multiple adapters.

### CAUTION:

Create independent circuits when using more than one adapter! Adapters must never be connected, neither directly nor indirectly. In short: NEVER connect two rail segments that are each connected to a different adapter! Exclusively connect rail segments that share one adapter.

### Dimming of light

The current STAS adapters are not yet dimmable. We strongly advise against connecting your own switch or dimmer to the system. Be aware that if you do this anyway, all system warranty expires.



# Index

## Hooks and cords

### for rail systems

## STAS hooks and cords

After selecting a rail, choose a cord to hook anywhere into the rail and a hook to slide over the cord to the desired height.

The cords and hooks on this page can be combined with all STAS rail types, with the exception of the STAS wooden rails, STAS j-rail (max), STAS evoluon and STAS plaster rail.

### Cords



**STAS cobra  
with perlon cord**  
CP10110 100 cm  
CP10115 150 cm  
CP10120 200 cm  
CP10125 250 cm  
CP10130 300 cm  
CP10140 400 cm



**STAS cobra  
with steel cable**  
SC10110 100 cm  
SC10115 150 cm  
SC10120 200 cm  
SC10125 250 cm  
SC10130 300 cm  
SC10140 400 cm



**STAS cobra with  
steel cable white**  
SC10220 200 cm white  
SC20220 200 cm black



**STAS smartspring**  
HA30900



**STAS zipper**  
HA30501



**STAS zipper pro**  
HA30530



### Possible combinations



perlon cord +  
smartspring

max.  
4 kg



perlon cord +  
zipper or zipper pro

max.  
15 kg



steel cable +  
zipper or zipper pro

max.  
20 kg



steel cable white or black +  
zipper or zipper pro

max.  
10 kg

STAS hooks and cords	33
STAS j-rail hooks, cords and rods	34
STAS j-rail max hooks and rods	35
STAS plasterrail hooks and cords	36
STAS windsor & riva hooks and cords	37
STAS evoluon & qubic hooks and cords	38
Summary table hooks and cords	39



# STAS j-rail

## hooks, cords and rods

STAS j-rail has its own set of hooks, cords and rods with which to complete the system.



# STAS j-rail max

## hooks and rods

STAS j-rail max works only with rods and matching hooks.

### Cords, rods and rail hooks

**STAS cylinder hook**  
HR10600 white  
HR30600 alu

**STAS steel cable with glider**  
SH10110 100 cm  
SH10115 150 cm  
SH10120 200 cm  
SH10125 250 cm  
SH10130 300 cm  
SH10145 450 cm

**STAS j-rail rod 3 mm**  
SO10110 100 cm white  
SO10115 150 cm white  
SO10120 200 cm white  
SO10130 300 cm white  
  
SO30110 100 cm alu  
SO30115 150 cm alu  
SO30120 200 cm alu  
SO30130 300 cm alu

**STAS perlon cord with loop**  
PL10110 100 cm  
PL10115 150 cm  
PL10120 200 cm  
PL10125 250 cm  
PL10130 300 cm

**STAS j-rail s-hook**  
HR10400 white  
HR30400 chrom

**STAS steel cable with loop**  
SL10110 100 cm  
SL10115 150 cm  
SL10120 200 cm  
SL10125 250 cm  
SL10130 300 cm

### Rods

**STAS j-rail max rod 4x4 white**  
SM10110 100 cm  
SM10115 150 cm  
SM10120 200 cm  
SM10125 250 cm

**STAS j-rail max rod 4x4 alu**  
SM30110 100 cm  
SM30115 150 cm  
SM30120 200 cm  
SM30125 250 cm

**STAS j-rail max rod 4x10 white**  
SM10210 100 cm  
SM10215 150 cm  
SM10220 200 cm  
SM10225 250 cm

### Hooks

**STAS j-rail max hook for rod 4x4**  
HA40600

**STAS j-rail max security hook 4x4**  
HA40700

**STAS j-rail max security set, collar + cap**  
BK10200

**STAS j-rail max hook for rod 4x10**  
HA40500

### Hooks

**STAS smartspring**  
HA30900

**STAS zipper**  
HA30501

**STAS zipper pro**  
HA30530

**STAS j-rail spring hook**  
HA30700

### Possible combinations

j-rail s-hook + perlon cord with loop + smartspring, zipper or zipper pro  
max. 4 kg

j-rail s-hook + steel cable with loop + zipper or zipper pro  
max. 15 kg

cylinder hook + perlon cord with glider + smartspring  
max. 4 kg

cylinder hook + perlon cord with glider + zipper or zipper pro  
max. 15 kg

cylinder hook + steel cable with glider + zipper or zipper pro  
max. 20 kg

j-rail rod + spring hook  
max. 15 kg

### Possible combinations

j-rail max rod 4x4 + j-rail max (security) hook  
max. 40 kg

j-rail max rod 4x4 + j-rail max (security) hook + security set  
max. 40 kg

j-rail max rod 4x10 + j-rail max hook for rod 4x10  
max. 100 kg



# STAS plastrail

## hooks and cords

STAS plastrail has its own cords that are specially designed for the specific rail opening.



# STAS windsor & riva

## hooks and cords

STAS windsor & riva have their own collection of hooks, which can be combined with the existing hooks and cords from STAS.

### Cords and rail hooks

**STAS perlon cord with glider**  
PH10110 100 cm  
PH10115 150 cm  
PH10120 200 cm  
PH10125 250 cm  
PH10130 300 cm  
PH10145 450 cm

**STAS steel cable with glider**  
SH10110 100 cm  
SH10115 150 cm  
SH10120 200 cm  
SH10125 250 cm  
SH10130 300 cm  
SH10145 450 cm

**STAS plastrail hook**  
PR90001

### Hooks

**STAS smartspring**  
HA30900

**STAS zipper**  
HA30501

**STAS zipper pro**  
HA30530

### Cords and rail hooks

**STAS perlon cord with loop**  
PL10110 100 cm  
PL10115 150 cm  
PL10120 200 cm  
PL10125 250 cm  
PL10130 300 cm

**STAS steel cable with loop**  
SL10110 100 cm  
SL10115 150 cm  
SL10120 200 cm  
SL10125 250 cm  
SL10130 300 cm

**STAS hook windsor**  
HW10200 white

**STAS hook windsor**  
HW30200 alu

**STAS hook windsor**  
HW60200 gold

**STAS hook riva**  
HW50700

### Hooks

**STAS smartspring**  
HA30900

**STAS zipper**  
HA30501

**STAS zipper pro**  
HA30530



### Possible combinations

**Plastrail hook + perlon cord with glider + smartspring**  
max. 4 kg

**Plastrail hook + perlon cord with glider + zipper or zipper pro**  
max. 15 kg

**Plastrail hook + steel cable with glider + zipper or zipper pro**  
max. 15 kg

### Possible combinations

**Perlon cord with loop + smartspring**  
max. 4 kg

**Perlon cord with loop + zipper or zipper pro**  
max. 15 kg

**Steel cable with loop + zipper or zipper pro**  
max. 20 kg

# STAS evoluon & qubic (pro)

## hooks and cords

The STAS evoluon and the STAS qubic (pro) can be used with our special hooks and cords.

### Cords



**STAS perlon cord with glider**  
PH10110 100 cm  
PH10115 150 cm  
PH10120 200 cm  
PH10125 250 cm  
PH10130 300 cm  
PH10145 450 cm



**STAS steel cable with glider**  
SH10110 100 cm  
SH10115 150 cm  
SH10120 200 cm  
SH10125 250 cm  
SH10130 300 cm  
SH10145 450 cm

### Hooks



**STAS smartspring**  
HA30900



**STAS zipper**  
HA30501



**STAS zipper pro**  
HA30530



### STAS evoluon

For more information about the STAS evoluon, see page 16.



**STAS evoluon**  
hook + perlon  
cord with glider  
+ smartspring



**STAS evoluon**  
hook + perlon  
cord with glider  
+ zipper



**STAS evoluon**  
hook + steel  
cable with glider  
+ zipper



**STAS qubic +**  
perlon cord  
with glider  
+ smartspring



**STAS qubic +**  
perlon cord  
with glider  
+ zipper



**STAS qubic**  
+ steel cable  
with glider  
+ zipper

# Summary table

## hooks and cords

	Hooks	smartspring	zipper / zipper pro	spring hook	j-rail max hook for rod 4x4	j-rail max security hook 4x4	j-rail max hook for rod 4x10
<b>Cords</b>							
<b>all STAS rails</b> (excl. STAS j-rail, STAS j-rail max, STAS plasterrail, STAS windsor, STAS riva and STAS evoluon)							
perlon cord with cobra		4 kg	15 kg	-	-	-	-
steel cable with cobra		-	20 kg	-	-	-	-
steel cable black or white with cobra		-	10 kg	-	-	-	-
<b>STAS j-rail</b>							
cylinderhook and perlon cord with glider		4 kg	15 kg	-	-	-	-
s-hook and perlon cord with loop		4 kg	15 kg	-	-	-	-
s-hook and steel cable with loop		-	20 kg	-	-	-	-
rod 3 mm		-	-	15 kg	-	-	-
<b>STAS j-rail max</b>							
rod 4x4 white or alu		-	-	-	40 kg	40 kg	-
rod 4x10 white		-	-	-	-	-	100 kg
<b>STAS plasterrail</b>							
plasterrail hook with perlon cord with glider		4 kg	15 kg	-	-	-	-
plasterrail hook with steel cable with glider		-	15 kg	-	-	-	-
<b>STAS windsor &amp; riva</b>							
hook with perlon cord with loop		4 kg	15 kg	-	-	-	-
hook with steel cable with loop		-	20 kg	-	-	-	-
<b>STAS evoluon &amp; qubic (pro)</b>							
perlon cord with glider		4 kg	15 kg	-	-	-	-
steel cable with glider		-	20 kg	-	-	-	-
<b>Additional</b> (e.g. panel hooks)							
perlon cord with loop		4 kg	15 kg	-	-	-	-
steel cable with loop		-	20 kg	-	-	-	-



## Index

# Magnetic hanging solutions

## STAS magnet sets

### cards on a cable

A STAS magnet set consists of a steel cable with cobra and five or ten magnets. Hook the steel cable into your STAS rail. Using the magnets, you can then hang photos, cards and memos on the cable. It's ideal for Christmas cards, birthday cards, to-do notes or temporary displays.

The white and coloured variants of the STAS magnet set cannot be combined with STAS wooden rails, STAS j-rail (max), STAS evoluon and STAS plaster rail. The 2-in-1 variant can be combined with all STAS rails except for STAS j-rail max, and STAS evoluon.



#### STAS magnet set

The standard STAS magnet set consists of a steel cable with cobra and ten white tripod magnets.



#### STAS coloured magnet set

The STAS coloured magnet set consists of a steel cable and ten cone-shaped magnets in five different colours.



#### STAS magnet set 2-in-1

The STAS magnet set 2-in-1 can be used in two different ways. Hook the cable into your STAS rail with the cobra or hang it with a loop onto an edge panel hook or any other hook. This set comes with five cone-shaped magnets in five different colours.

### Products



**STAS magnet set**  
BM20360  
steel cable 150 cm  
with cobra, 10 white  
neodymium magnets



**STAS white magnets**  
MB10050  
10 separate, white  
neodymium magnets



**STAS coloured magnet set**  
BM20370  
steel cable 150 cm  
with cobra, 10 coloured  
neodymium magnets



**STAS coloured magnets**  
MB10040  
10 separate, coloured  
neodymium magnets



**STAS magnet set 2-in-1**  
BM20380  
steel cable 150 cm  
with cobra and loop, 5  
coloured neodymium  
magnets

# Index

## Other hanging solutions



<b>STAS papergrip</b>	<b>43</b>
<b>STAS grip-up (on papergrip)</b>	<b>44</b>
<b>STAS papergrip hanger</b>	<b>45</b>
<b>STAS name tag</b>	<b>46</b>
<b>STAS stabilization support set</b>	<b>46</b>
<b>STAS panel hooks</b>	<b>47</b>
<b>STAS grip-up (on the wall)</b>	<b>48</b>
<b>STAS suspended ceiling hooks</b>	<b>49</b>
<b>STAS signtrack</b>	<b>50</b>
<b>STAS no-tilt set</b>	<b>52</b>
<b>STAS dibond hangers</b>	<b>53</b>
<b>STAS qubic &amp; qubic pro</b>	<b>54</b>
<b>STAS v-tense &amp; h-tense</b>	<b>56</b>
<b>STAS suspension sets</b>	<b>62</b>
<b>STAS paperrail</b>	<b>65</b>
<b>STAS poster strips and poster snaps</b>	<b>66</b>
<b>STAS picture hits</b>	<b>67</b>

## STAS papergrip

### twice as handy

STAS papergrip is one rail with two applications. Thanks to a handy internal strip, papers can be easily clipped into the rail or removed. In addition, cards (etc.) can be placed in the special ledge on top of the rail.

STAS papergrip is suitable for thick and thin paper and it can even grab hold of thin magazines and laminated paper. Separate rail pieces can be connected to create a hanging system spanning the entire wall.

Optional: click specially designed STAS papergrip hooks onto the rail to hang up additional small items, like keys, or for example a STAS magnet set 2-in-1. A STAS papergrip hook has a weight capacity of 3 kg.



- dimensions 13,3 x 45 mm
- length 50, 100, 150 or 200 cm
- rail: aluminium with powder coating, inside strip: polyurethane foam core and polyethylene coating layer
- white, white textured, black textured or alu textured
- standard with railclips (3 per metre) optional with magnetic tape or double-sided tape
- 5 years warranty



## Parts

### STAS papergrip

PG15005 50 cm white textured  
PG15010 100 cm white textured  
PG15015 150 cm white textured  
PG15020 200 cm white textured

PG30105 50 cm alu textured  
PG30110 100 cm alu textured  
PG30115 150 cm alu textured  
PG30120 200 cm alu textured

PG20105 50 cm black textured  
PG20110 100 cm black textured  
PG20115 150 cm black textured  
PG20120 200 cm black textured

PG10105 50 cm white  
PG10110 100 cm white  
PG10115 150 cm white  
PG10120 200 cm white



### STAS papergrip end cap

PG90001 white  
PG90003 alu  
PG90002 black

### STAS papergrip hook

HA40410 white  
HA40412 alu  
HA40411 black

**STAS railclip**  
RD40100  
(metal, 3 per m<sup>2</sup>)




**STAS rail connector**  
RD40200  
(metal)



**STAS plug**  
SR50700



**STAS screw**  
torx  
SR30600



## STAS grip-up (on paperclip)

### extra handy

The STAS grip-up is a product that can be mounted in two ways. You can click the STAS grip-up over the STAS paperclip or mount it directly on the wall. In combination with the STAS paperclip, the pleasantness of a wall shelf is combined with the handy clamping mechanism of the STAS paperclip. Place photo frames, books or other decorations on the shelf section and hang notes, drawings and posters from the bottom. This gives you plenty of room for decoration and important papers.

In addition to being used in combination with the STAS paperclip, this product can also be mounted directly on the wall using the STAS grip-up wall clips.

**Tip from STAS:** It is also possible to purchase a length of the STAS grip-up that is shorter than the length of your STAS paperclip, so that only a small part can be used as a wall shelf.

- dimensions 45,3 x 60 mm
- length 50, 100, 150, 200 cm
- aluminium
- white, alu textured or black
- paperclip mounting, wall mounting
- on paperclip: 2 kg/m
- 5 years warranty

SCAN FOR MANUAL



## STAS paperclip hanger

### secure hanging

The STAS paperclip hanger has been specially developed for hanging a whiteboard (with a max. size of 90x120 cm) on the STAS paperclip (mounted with screws), by means of 2 STAS paperclip hangers. The hangers are attached to the whiteboard with screws and then placed on the STAS paperclip, after which the whiteboard is easy to install and move. In addition, the hanger is equipped with a safety lock, so that it cannot be pushed out of the rail when force is exerted on the whiteboard. By mounting stabilizing caps the whiteboard remains stable. This makes the STAS paperclip hanger very suitable for the safe hanging of a whiteboard in educational institutions.

In addition to the whiteboard, other objects can also be hung on the STAS paperclip hanger. For suspending light items such as a small clock, the hanger can be attached with double-sided tape.

- dimensions 3,5 x 9,5 mm
- steel with powder coating
- white
- to the product to be hung
- weight capacity per hanger per meter 20 kg/m
- paperclip hanger set: whiteboard of max. 90 x 120 cm
- 5 years warranty

SCAN FOR MANUAL



### Parts

**STAS grip-up**  
SPG10105 50 cm white  
SPG10110 100 cm white  
SPG10115 150 cm white  
SPG10120 200 cm white

SPG30105 50 cm alu  
SPG30110 100 cm alu  
SPG30115 150 cm alu  
SPG30120 200 cm alu

SPG20105 50 cm black  
SPG20110 100 cm black  
SPG20115 150 cm black  
SPG20120 200 cm black



**STAS grip-up for paperclip end cap set (l/r) white**  
SPG90017



**STAS grip-up for paperclip end cap set (l/r) alu**  
SPG90019



**STAS grip-up for paperclip end cap set (l/r) black**  
SPG90018

### Parts



**STAS paperclip hanger**  
HA40110



**STAS paperclip hanger stabilisation set**  
PG40110



## STAS panel hooks

### the classic hanging solution

## STAS name tag

### a place for every name

The STAS name tag is a clip that can be clicked on the STAS papergrip. Paper can be placed inside this clip. With the STAS name tag, the names of the children can be displayed in the classroom or in your home.

\* Templates for printing out the name cards are available on request. Please contact our sales department for more information.

STAS name tag  
PG20007

- dimensions 8,7 x 3,7 x 6 mm
- plastic
- black
- to attach on the papergrip

## STAS stabilization support set



Beautiful paintings should hang perfectly underneath each other! Do you have a STAS picture hanging system and do your paintings tilt when you want to hang 2 underneath each other? With the STAS stabilization support set they will hang perfectly straight! Simply attach the double-sided tape to the stabilators and stick them on the back of your painting(s). This set is adjustable in depth so that you can adjust them to size for each unique painting.

STAS stabilization support set  
SS01100



- dimensions 63 x 56 mm
- plastic



STAS panel hook white  
HW10300 11 mm  
HW10400 16 mm  
HW10600 18 mm  
HW10500 21 mm  
HW10700 26 mm  
HW10800 31 mm



STAS moulding hook  
HW10200 white  
HW30200 alu  
HW60200 gold



STAS panel hook alu  
interselect  
HW30700



STAS panel hook alu  
lux window frame  
HW30800



STAS panel hook  
transparant alcoa  
HW50100



STAS panel hook alu  
vervol type 1  
HW30300\*



STAS panel hook alu  
vervol type 2  
HW30400



STAS panel hook alu  
sepa normal  
HW30500



STAS panel hook askon  
chrome  
HW50400



STAS panel hook PE  
transparant  
HW50500




STAS panel hook  
maars  
HW50600



\* Only available in combination with STAS perlon cord with loop and zipper.

NEW



## STAS grip-up (on the wall)

### extra handy

In addition to being used in combination with the STAS papergrip, the STAS grip-up can also be mounted on the wall to create a wall shelf. The wall shelf allows for an easy presentation of decoration, frames or books.

The STAS grip-up is mounted directly on the wall using the STAS wall clips.

- dimensions 45,3 x 60 mm
- length 50, 100, 150, 200 cm
- aluminium
- white, alu textured or black textured
- wall mountable
- mounting on wall: 4 kg/m
- 5 years warranty



## STAS suspended ceiling hooks

### and double hanger

No more messing around with bending paper clips or tying strings. With the white STAS suspended ceiling hooks, you can hang up children's crafts, festive decorations or lesson material to the suspended ceiling in an instant. All you need to do is slide the hook over the runners of the suspended ceiling. STAS suspended ceiling hooks are available with an eyelet and with a hook.




The STAS double hanger is a very easy way to hang signing from a drop ceiling in combination with, for example, the STAS drop ceiling hooks.

### Parts

**STAS grip-up**  
SPG10105 50 cm white  
SPG10110 100 cm white  
SPG10115 150 cm white  
SPG10120 200 cm white

SPG30105 50 cm alu  
SPG30110 100 cm alu  
SPG30115 150 cm alu  
SPG30120 200 cm alu

SPG20105 50 cm black  
SPG20110 100 cm black  
SPG20115 150 cm black  
SPG20120 200 cm black



**STAS grip-up end cap set (l/r) white**  
SPG90017



**STAS grip-up end cap set (l/r) alu**  
SPG90019



**STAS grip-up end cap set (l/r) black**  
SPG90018



**STAS wall clip for wall mounting**  
SPG90010  
(4 clips per m<sup>2</sup>)

### Products



**STAS suspended ceiling hook**  
HA10100 white max 5 kg

**STAS suspended ceiling hook for loop**  
HA10200 white max 5 kg



**STAS double hanger**  
DH10010 double hanger 10 cm alu  
DH10025 double hanger 25 cm alu  
DH10040 double hanger 40 cm alu  
DH10060 double hanger 60 cm alu  
DH10080 double hanger 80 cm alu



# STAS signtrack

## a presentation that sticks

With the STAS signtrack you can easily hang advertising, posters and signage (from 0.2mm to 1mm thick). The STAS signtrack is easy to use, due to the sliding mechanism at the top and bottom. Inserted material remains undamaged and a professional presentation is guaranteed. An indispensable addition for shops, offices, catering, conventions and institutions.

The STAS signtrack can be used with the STAS qubics or with the STAS suspended ceiling hooks (in combination with matching cords) to hang from the ceiling. The STAS sign track can also be used with our many rail systems in combination with the cords with cobra hook for a wall mounting.

- dimensions 12 x 21 mm
- length 42, 60, 100 or 200 cm
- aluminium
- alu
- ceiling- or wall mounting
- paper thickness 0,2 mm till 1 mm
- 5 years warranty



### Set

**STAS signtrack set**  
PS10042 42 cm  
PS10060 60 cm

STAS signtrack top rail 1x  
STAS signtrack bottom rail 1x  
STAS signtrack end cap 4x  
STAS signtrack clamp 6x  
STAS signtrack hook 2x

**STAS signtrack set 100 cm**  
PS10100 100 cm

STAS signtrack top rail 1x  
STAS signtrack bottom rail 1x  
STAS signtrack end cap 4x  
STAS signtrack clamp 10x  
STAS signtrack hook 2x

**STAS signtrack set 200 cm**  
PS10200 200 cm

STAS signtrack top rail 1x  
STAS signtrack bottom rail 1x  
STAS signtrack end cap 4x  
STAS signtrack clamp 18x  
STAS signtrack hook 4x

### Parts



**STAS signtrack rail**  
PS29942 42 cm  
PS29960 60 cm  
PS29100 100 cm  
PS29200 200 cm



**STAS signtrack hook**  
HA50200



**STAS signtrack clamp**  
HA30660



**STAS signtrack end cap**  
RD20600


# STAS signtrack

## hanging options

The STAS signtrack can be used with the STAS qubics or with the STAS suspended ceiling hooks (in combination with matching cords) to hang from the ceiling. The STAS sign track can also be used with our many rail systems in combination with the cords with cobra hook for a wall mounting.

### For a stone or concrete ceiling


STAS qubic or qubic pro with perlon cord or steel cable with glider.




**STAS qubic**  
TCS1000



**STAS qubic pro**  
TCS1010



**STAS perlon cord with glider**



**STAS steel cable with glider**


For more information of the STAS qubic, see page 54.

### For a drop ceiling

STAS drop ceiling hook for loop with perlon cord or steel cable with loop.



**STAS drop ceiling hook for loop**  
HA10200 max 5 kg



**STAS perlon cord with loop**



**STAS steel cable with loop**

For more information of the STAS suspended ceiling hook, see page 49.

### For a STAS rail system

STAS rail system in combination with perlon cord or steel cable to match the rail.



**STAS cobra with perlon cord**



**STAS cobra with steel cable**

For more information of the STAS rail systems, see page 7 t/m 22.




## STAS no-tilt set

### flat against the wall

Beautiful paintings should hang perfectly! Do you have a STAS picture hanging system and does your hanged painting tilt a bit? Hang your painting perfectly flat with the STAS no-tilt set. You can mount the 2 innovative corner brackets at 2 points on your picture frame with the supplied screws. Due to the different openings, small corrections can be made to the suspension cord so that your painting hangs perfectly flat against the wall.

The STAS no-tilt set is supplied as a complete set for a painting with a wooden frame of maximum 60 mm and minimum 18 mm thick. This set is only suitable for large frames with a recessed back and should be used with 2 cords (perlon/steel) and 2 hanging hooks (STAS zipper/STAS smartspring).

- dimensions 34 x 19 x 16 mm
- stainless steel
- mounting on wooden frame or painting of at least 35 cm wide
- weight capacity 10 kg per set
- minimum weight 1,5 kg



STAS no-tilt set  
34 x 16 x 19 mm  
AT10016



## STAS dibond hanger



### a hook for every wall object

The STAS dibond hanger is a self-adhesive aluminum plate with a hook, which can be attached to the back of flat panels. We offer the STAS dibond hanger in various sizes, each with its own carrying capacity. The tape, which is on the back of the STAS dibond hanger, comes from the brand tesa® and is of high quality. With the STAS dibond hanger we supply a special cleaning cloth that should be used to remove grease and dust from the surface.

The STAS dibond hanger is suitable to attach on the back of flat panels such as mirrors and art/photos on acrylic, glass, dibond, plexiglass or aluminum. Rough, porous or fibrous surfaces such as wood, MDF, plasterboard or plaster blocks are not suitable for tape-attaching the STAS dibond hanger. An attachment to wood or MDF is possible by mounting screws in the existing screw holes of the STAS dibond hanger. This way, the tape attachment of the STAS dibond hanger on flat panels can be reinforced as well.

**ATTENTION!** It is very important that you remove grease and dust from the surface with the supplied cleaning cloth. Let the cleaner dry thoroughly. Then press the STAS dibond hanger firmly for 10 seconds and let it dry for 24 hours before you hang an object.

### Products



STAS dibond hanger  
+ installation set  
3 kg / 70 x 70 mm  
BS30900



STAS dibond hanger  
+ installation set  
6 kg / 100 x 100 mm  
BS30800



STAS dibond hanger  
+ installation set  
3,5 kg / ø 90 mm  
BS30400



STAS dibond hanger  
+ installation set  
5 kg / 70 x 140 mm  
BS30500



STAS dibond hanger  
+ installation set  
10 kg / 100 x 200 mm  
BS30700



STAS self-adhesive  
distance caps round  
13 mm (per 4 pieces)  
MB10080



# STAS qubic


## flexible in all directions

The STAS qubic is a compact and square hanging system, suitable for hard walls such as stone or concrete. Do not underestimate the STAS qubic by its size, because that is exactly what's so convenient about this hanging system.

The STAS qubic is suitable for one hanging point and can be easily installed in the more difficult places. Think of a stairwell, a slanted ceiling or a pillar. The STAS qubic can be mounted in many different ways and therefore the cords can also be hooked in many possible ways.

The versatility of the STAS qubic makes it an indispensable hanging system for difficult places with hard walls.

- dimensions 22 x 22 x 24 mm
- aluminium
- alu textured
- ceiling- and wall mounting
- weight capacity 15 kg/m
- 5 years warranty



### Parts

**STAS qubic**  
TCS1000 alu textured



**STAS qubic end cap black**  
TCS9002 black



**STAS screw qubic**  
SJ30200



**STAS plug**  
SR50700



wall mounting STAS qubic pro



ceiling mounting STAS qubic pro



# STAS qubic pro

## flexible in all directions

The STAS qubic pro works the same as the STAS qubic, but is suitable for soft walls such as plaster and sand-lime brick. The mounting plate can be installed with 2 screws which provides extra reinforcement of the STAS qubic pro in the soft wall.

Just like the STAS qubic, the STAS qubic pro can be used in the more difficult places. The versatility of the STAS qubic pro makes it an indispensable hanging system for difficult places with soft walls.

- dimensions 50 x 50 x 24 mm
- aluminium
- alu textured
- ceiling- and wall mounting
- weight capacity 20 kg/m
- 5 years warranty



SCAN FOR MANUAL

### Parts

**STAS qubic pro**  
TCS1010 alu textured



**STAS qubic end cap black**  
TCS9002



**STAS screw qubic pro**  
SJ30100



**STAS plug**  
SR50700



# STAS v-tense & h-tense

## combine endlessly

The tensioned cable system can be used flexibly and mounted on walls or ceiling. Horizontally, vertically and diagonally! The possibilities in combination with the STAS qubic, the STAS evoluon and the other STAS rail systems are therefore endless. Consider, for example, applications for the creation of shop windows, the presentation of houses in the real estate sector, displaying menus in restaurants or hanging material in schools or in the office.

### STAS v-tense (vertical)

The STAS v-tense is, together with the STAS h-tense, part of the tensioned cable system assortment. The STAS v-tense can be used vertically and is equipped with a glider on both sides. The cables are easy to tighten. In addition, an extra spring has been added to the STAS v-tense so that the wire still offers enough elasticity to hook into a rail with a hook. The STAS v-tense can be combined with various STAS rail systems, the STAS qubic and the STAS evoluon to easily create a wall presentation.

\* Also available in a version with a glider on one side and a STAS cobra on the other for hanging options with a STAS rail.



### STAS h-tense (horizontal)

The STAS h-tense is, together with the STAS v-tense, part of the tensioned cable system assortment. The STAS h-tense can be used horizontally and is equipped with a glider on both sides. The wire is easy to tighten. The STAS h-tense can be combined with the STAS qubic to easily create a wall presentation.

### Content

**STAS v-tense**  
TSBV150 150 cm  
TSBV300 300 cm  
TSBV450 450 cm

- dimensions 26 x 3 mm
- length 150, 300 or 450 cm
- aluminium
- alu textured
- wall- and ceiling mounting (in combination with the STAS rail, STAS evoluon and STAS qubic)
- 5 years warranty



### Content

**STAS h-tense**  
TSBH150 150 cm  
TSBH300 300 cm  
TSBH450 450 cm

- dimensions 26 x 3 mm
- length 150, 300 or 450 cm
- aluminium
- alu textured
- wall- and ceiling mounting (in combination with the STAS qubic)
- 5 years warranty



# STAS v-tense & h-tense

## accessories & possibilities

### STAS accessories



**STAS frame clamp  
(4,5 mm)**  
TCS30001



**STAS frame connector  
(4,5 mm)**  
TCS30002



**STAS tense-frame**  
A4 TCS30010  
A3 TCS30016



**STAS frame clamp  
(8,5 mm)**  
TCS30003



**STAS frame  
connector (8,5 mm)**  
TCS30004



**STAS shelf clamp  
(8,5 mm)**  
TCS30005



**STAS shelf  
connector (8,5 mm)**  
TCS30006



**STAS shelf 20 x 30 cm**  
TCS30025

#### STAS frame clamp (4,5 mm)

The STAS frame clamp can be screwed onto a tensioned wire. When 2 tensioned wires are mounted next to each other with both a STAS frame clamp, a frame or other material (minimal 1 mm and maximal 4.5 mm thick) can be clamped between them.

#### STAS frame connector (4,5 mm)

The STAS frame connector can be screwed onto a tensioned wire. The double opening allows several frames or other material (minimal 1 mm and maximal 4.5 mm thick) to be placed next to each other.

#### STAS tense-frame A4 and A3

The A4 size frame comes with 4 STAS frame clamps (4.5 mm). When 2 tensioned wires are mounted next to each other, the STAS tense frame can be placed between these wires. The frame can be opened at the top so that material can be placed inside. Think, for example, of applications for advertisements or the presentation of houses in real estate. The frame can be closed magnetically.

#### STAS frame clamp (8,5 mm)

The STAS frame clamp can be screwed onto a tensioned wire. When 2 tensioned wires are mounted next to each other with both a STAS frame clamp, a frame or other material (minimal 4 mm and maximal 8.5 mm thick) can be clamped between them.

#### STAS frame connector (8,5 mm)

The STAS frame connector can be screwed onto a tensioned wire. The double opening allows several frames (minimal 4 mm and maximal 8.5 mm thick) to be placed next to each other.

#### STAS shelf clamp (8,5 mm)

The STAS shelf clamp can be screwed on the STAS steel cable with glider (p.35). When 4 sets of STAS steel cables with glider are mounted with 4 STAS shelf clamps, a STAS shelf can be placed in between to create shelves.

#### STAS shelf connector (8,5 mm)

The STAS shelf connector can be screwed onto the STAS steel cable with glider (p.35). Thanks to the double opening, several STAS shelves can be placed next to each other in order to create shelves.

#### STAS shelf

The STAS shelf is a plexiglass shelf of 20 x 30 cm. With the help of 4 STAS shelf clamps, this shelf can be attached to 4 sets of STAS steel cable with glider (p.35) in order to create shelves. (other dimensions available upon request)



**STAS security hook**  
HA30600



**STAS signage clip**  
TCS30007



**STAS metal clips**  
MC10100



**STAS distance clamp**  
TCS30009

#### STAS security hook

The STAS security hook is a hook that can be used with the STAS v-tense. The STAS security hook can be placed before as well as after mounting the tensioned wire by means of a rotary wheel behind the hook.

#### STAS signage clip

The STAS signage clip can be screwed onto a STAS steel cable with glider and then placed in the STAS cubic. Signs with a minimum thickness of 2 mm and a maximum of 7 mm can be clamped in the STAS signage clip.

\* Can also be used with STAS steel cable with loop and STAS drop ceiling hook.

#### STAS metal clips

These metal clips are suitable for hanging various materials on the STAS h-tense. Think of hanging alphabet letter tiles, posters, drawings, decorations, all kinds of papers and light objects.

#### STAS distance clamp

The STAS distance clamp can be screwed onto a tensioned wire. The front part can be loosened, after which this part can be pushed through the drill holes of a frame, plate or other object. The 2 pieces can be tightened again. Due to the extended back, the STAS distance clamp ensures that the wall object hangs stable and with a same distance from the wall.



**STAS tense LED frame**  
TCS30015

#### STAS tense LED frame

The A4 size LED frame comes with 4 attached clamps. When 2 tensioned wires are mounted next to each other, the STAS tense LED frame can be placed between the wires. Material can be placed in the frame by removing and replacing a transparent magnetic plate.

#### STAS tense 12V power (60W)

The STAS tense 12V power is an adapter that can be used to power the STAS tense LED frame with 60W power. A maximum of 12 LED frames\* can be connected to this adapter.

\* max. 12 LED frames connected on 2 tensioned wires. If you want to use more than 12 LED frames and / or more than 2 tensioned wires, it is necessary to use multiple adapters.



**STAS tense 12V power**  
VT30600

### Applications




**STAS frame clamp  
(4,5 mm)**



**STAS frame  
connector (4,5 mm)**



**STAS frame  
clamp (8,5 mm)**



**STAS frame  
connector (8,5 mm)**



**STAS shelf clamp  
(8,5 mm)**



**STAS shelf connector  
(8,5 mm)**



**STAS signage clip**



**STAS distance  
clamp**

# STAS v-tense & h-tense

## accessories & possibilities

### Options STAS v-tense



STAS qubic, STAS v-tense, STAS tense frame & STAS frame clamps

STAS qubic, STAS v-tense, STAS tense frame & STAS frame clamps

STAS qubic, STAS v-tense, STAS evoluon, STAS tense frame & STAS frame clamps

STAS evoluon, STAS v-tense, STAS security hook & STAS kliq frame

STAS cliprail, STAS qubic, STAS v-tense, STAS security hook & decorative photo frames

STAS j-rail, STAS v-tense, STAS frame clamps & presentation board

STAS qubic, STAS v-tense & STAS tense LED frame

STAS qubic ceiling mounting, STAS shelf clamp & STAS shelves

### Options STAS signage clip



STAS signage clip & steel cable with loop. (to be used with the STAS suspended ceiling hook for loop)

STAS signage clip, steel cable with glider & STAS qubic.



### Options STAS h-tense



STAS h-tense, STAS qubic, STAS metal clips, alphabet letter tiles



STAS h-tense, STAS qubic, STAS tense frame & STAS frame clamps

# STAS suspension sets

NEW

With the many STAS suspension sets, we have a convenient suspension kit for every situation. No need to look for separate parts. The STAS suspension sets are safe and user-friendly suspension kits for hanging lighting, pipes, advertising, route indication, signs, paintings, acoustic panels, shelves and many other objects. All STAS suspension sets consist of 1.5 mm steel cables with a length of 2 meters and can be loaded up to a maximum of 25 kg per set.



## Suspension sets with ceiling mount



SCS40101

### STAS suspension set with adjustable loop maker

- For different-sized pipes/other objects
- Size adjustable loop maker



SCS40102

### STAS suspension set with safety hook

- For lighting, route indication, panels and other objects
- Safety hook with bracket
- Adjustable in height



SCS40103

### STAS suspension set with panel hanger (4 mm)

- For advertising, route indication and other panels/objects
- Adjustable in height
- With safety lock



SCS40104

### STAS suspension set with panel hanger (10 mm)


- For advertising, route indication and other panels/objects
- Adjustable in height



SCS40105

### STAS suspension set with panel hanger (6 mm)

- For advertising, route indication and other panels/objects
- Adjustable in height



SCS40106

### STAS suspension set with 2 safety hooks

- For lighting, advertising, panels or other objects
- 2 safety hooks connected with steel cable
- Adjustable in height



SCS40107

### STAS suspension set with internal M6 screw thread tilt hook


- For lighting and other objects with that require a tilt
- Adjustable in height
- With safety lock



SCS40108

### STAS suspension set with internal M6 screw thread

- For lighting, route indication, panels and other objects
- Adjustable in height



SCS40109

### STAS suspension set with external M6 screw thread tilt hook

- For lighting and other objects that require a tilt
- Adjustable in height
- With safety lock



SCS40111

### STAS suspension set with eye hook

- For lighting, panels, advertising and other objects
- Adjustable in height
- Can also be used horizontally



SCS40113

### STAS suspension set with external M10 cable grip


- For lighting, shelves and other objects
- Adjustable in height



SCS40110

### STAS suspension set with external M6 gripper



- For lighting and other objects
- Adjustable in height



SCS40112

### STAS suspension set with cross anchors

- For fluorescent lighting or other objects
- 2 cross anchors connected with steel cable
- Adjustable in height



## Suspension sets with loop



SCS40201

### STAS suspension set with safety hook

- For different sized pipes or other objects
- Size adjustable loop maker
- Can also be used the other way around



SCS40202

### STAS suspension set with safety hook

- For lighting, route indication, panels and other objects
- Fixed loop
- Adjustable in height
- Can also be used the other way around



SCS40203

### STAS suspension set with panel hanger (4 mm)

- For advertising, route indication and other panels
- Fixed loop
- Adjustable in height
- With safety lock



SCS40204

### STAS suspension set with panel hanger (10 mm)

- For advertising, route indication or other panels/objects up to max. 10 mm thick
- Fixed loop
- Adjustable in height




### SCS40205 STAS suspension set with panel hanger (6 mm)

- For advertising, route indication and other panels/objects
- Fixed loop
- Adjustable in height



Adjustable ceiling mount

## Suspension sets with adjustable ceiling mount



### SCS40301 STAS suspension set with cross anchor

- For fluorescent lighting or other objects
- Single cross anchor
- Adjustable quick ceiling mount with screw



### SCS40302 STAS suspension set with loop

- For pipes, panels and other objects
- Fixed loop
- Adjustable quick ceiling mount with screw

## Other suspension sets and products



### SCS40401 STAS suspension set with safety hook and eye plate (90°)

- For lighting, route indication, panels and other objects
- Safety hook with spring bracket
- Ceiling mount



### SCS40402 STAS acoustic coil spring

- For acoustic, foam or non-woven/felt panels
- Can be used with the many STAS suspension sets



### SCS40403 STAS drop ceiling clip

- For drop ceilings
- With M5 screw thread for attaching STAS suspension sets without having to drill

For more information about these products, please contact our sales team at  
**T +31 (0)40 292 48 48 | E info@stas.nl**



# STAS paperrail



## marbles put to good use

STAS paperrail is an aluminium rail used to hang loose papers. The rail contains glass marbles, which press against the paper, creating a handy clamping mechanism.

You can slide drawings, announcements and photos into the rail with a single move and remove them again without any damage to the paper. Papers can also be placed on top of the rail.

Ideal for use in classrooms, offices, restaurants and even at home above the kitchen table. The STAS paperrail is mounted directly onto the wall.



- dimensions 21 x 48,5 mm
- length 50, 100 or 200 cm
- aluminium
- white or alu
- wall mountable, not adjoining to ceiling
- 5 years warranty

SCAN FOR MANUAL



**STAS paperrail**  
 KN10005 50 cm white  
 KN10010 100 cm white  
 KN10020 200 cm white

KN30005 50 cm alu  
 KN30010 100 cm alu  
 KN30020 200 cm alu



**STAS plug**  
 SR50700



**STAS screw torx**  
 SR30600



**STAS paperrail connector set**  
 KN30100

# STAS poster strips

## and poster snaps

### hanging without framing

#### STAS poster strip

The STAS poster strip is a classic poster strip in transparent plastic and is designed to lock posters into position so as to hang them neatly, simply and stylishly. The poster can be slid into the strip from the side.

#### STAS poster snap

The STAS poster snap is a more luxurious variant to the plastic poster strip, made from high-grade aluminium. This makes the system ideally suited for presenting canvases, fabrics and heavy posters without taking anything away from the style.

The poster does not have to be inserted from the side: simply click the STAS poster snap open and shut at the top and the bottom.

#### STAS poster strip

- dimensions 6 x 13 mm
- length 30, 42, 50, 60, 70, 84, or 100 cm
- plastic
- transparant
- suitable for paper and cardboard
- 5 years warranty

#### STAS poster snap

- dimensions 16 x 27 mm
- length 50, 70 or 100 cm
- aluminium
- plastic
- suitable for heavier posters, canvas and fabrics
- 5 years warranty

# STAS picture hits

## invisible connection

STAS picture hits are transparent plastic clips that allow you to easily connect photos, cards and other lightweight decorative items to each other and to your STAS rail.

The first clip is screwed into your STAS rail. Then you can slide a photo, card or other decoration into the clip. By sliding a new STAS picture hit on the bottom or side, you can attach another decoration. Step by step, you can create your own unique collage.

STAS picture hits are ideal for temporary or changing decorations, for instance photos, Christmas cards, birthday cards, vacation snaps, streamers and other party or seasonal attributes.

Tip: place the transparent distance strips between the rail and your decoration to hang it a little lower, for example at eye level.

- plastic
- transparant
- to be attached to a STAS rail\*
- suitable for paper and thin cardboard
- 5 years warranty

\* with the exception of STAS j-rail (max), STAS wooden rail, STAS plasterrail and STAS evoluon



## Products



**STAS poster strip set transparent**  
PS50030 30 cm  
PS50042 42 cm  
PS50050 50 cm  
PS50060 60 cm



**STAS poster snap set alu**  
PS30050 50 cm  
PS30070 70 cm  
PS30100 100 cm



**STAS picture hits**  
BM20350

**Contents per set**  
20 STAS picture hits (clips)

2 STAS pet strips 50 cm (transparent distance strips)



## Index

## Complementary products



**STAS clocktica**

**69**

**STAS tunica**

**69**

**STAS TV hanger**

**70**



## STAS clocktica

## & STAS tunica



The STAS clocktica is a silent design clock that can be hooked into almost any STAS picture rail system.\* The clock works on batteries and is made of sturdy steel. The STAS clocktica is suitable for educational institutions, for in the office or for your own home. Complete your interior with this flexible design clock!

STAS tunica is a stylish coat hook system that easily fits into almost all STAS rails\*. Now your wall not only has a decorative purpose, but a practical one as well. The coat hook is sturdy, but also easily and endlessly moveable. The STAS tunica has a neutral design and features two coat hooks.

\*With the exception of the STAS wooden rails, STAS j-rail (max), STAS evoluon and STAS plaster rail.

### STAS clocktica

- dimensions 25 cm wide
- length 43 or 95 cm
- powdercoated steel
- white textured, black textured
- 5 years warranty

### STAS tunica

- dimensions 15 cm wide x 5,2 cm depth
- mounting strip: 5 cm wide
- length 95 cm
- powdercoated steel with 2 hooks
- white or black
- 10 kg per hook
- 5 years warranty

### Products

**STAS clocktica white**  
KH40430W 43 cm white  
KH40950W 95 cm white

KH40430Z 43 cm black  
KH40950Z 95 cm black



**STAS tunica**  
KH40095W 95 cm white  
KH40095Z 95 cm black



# STAS TV hanger

NEW

## Profile drawings

With the STAS TV hanger, drilling into the wall to hang your TV is a thing of the past! With the STAS TV hanger you don't have to make a final decision about the location of your TV because you'll be able to move the hanger to another place in your rail system\* really easily. In addition, your TV will always hang straight. The STAS TV hanger is suitable for TVs from 26" to 55".

The black TV bracket is mounted at a suitable height on the white hangers with the supplied screws and the vertical brackets are mounted on the back of your TV. You can easily hang your TV by clicking it on the mounted TV bracket.

\* The STAS TV hanger with cobra end can be used with the STAS minirail, STAS cliprail (max and pro), STAS multirail (max, crown and flat), STAS u-rail (multi), STAS prorail (max, crown and flat), STAS drop ceiling rail and the STAS plasterboard rail. When mounting your TV, always take into account the maximum load of your picture hanging system.



- dimensions 150 cm x 40 cm
- aluminium
- white textured with black TV bracket
- suitable for TV's from 26" to 55"
- 5 years warranty




### Products

STAS tv hanger  
TV10150 white




#### STAS minirail

Dimensions 9 x 16 mm




#### STAS cliprail

Dimensions 8,2 x 25 mm




#### STAS cliprail max

Dimensions 8,3 x 31,6 mm




#### STAS cliprail pro

Dimensions 11,3 x 28 mm




#### STAS plastrail

Dimensions 6,4 x 40 mm




#### STAS j-rail

Dimensions 7 x 20 mm




#### STAS j-rail max

Dimensions 9 x 20 mm




#### STAS u-rail














Dimensions 14 x 6,5 mm



#### STAS evoluon

Dimensions 20 x 3 mm






# Product index


## STAS grip-up (on the wall)

Dimensions 45,3 x 60 mm




## STAS qubic

Dimensions 22 x 22 x 24 mm




## STAS qubic pro

Dimensions 50 x 50 x 28 mm



## STAS signtrack

Dimensions 12 x 21 mm



article code	product description	page nr.
<b>Rail systems</b>		
<b>STAS minirail</b>		
RM10150	minirail white 150 cm	7
RM10120	minirail white 200 cm	7
RM10130	minirail white 300 cm	7
RM30150	minirail alu 150 cm	7
RM30120	minirail alu 200 cm	7
RM30130	minirail alu 300 cm	7
RM20150	minirail black 150 cm	7
RM20120	minirail black 200 cm	7
RM20130	minirail black 300 cm	7
RD10200	minirail rail connector	7
RY10200	minirail combi cap** white	7
RY30200	minirail combi cap** alu	7
RY20200	minirail combi cap** black	7
SR10200	minirail clipscrew torx	7
SR50700	plug 6 x 30 mm hard / soft wall	7

<b>STAS cliprail</b>		
RC10315	cliprail white 150 cm	8
RC10320	cliprail white 200 cm	8
RC10330	cliprail white 300 cm	8
RC30115	cliprail alu 150 cm	8
RC30120	cliprail alu 200 cm	8
RC30130	cliprail alu 300 cm	8
RC20115	cliprail black 150 cm	8
RC20120	cliprail black 200 cm	8
RC20130	cliprail black 300 cm	8
RD10300	cliprail end cap white	8
RD30300	cliprail end cap alu	8
RD20300	cliprail end cap black	8
RD10400	cliprail corner cap white	8
RD30400	cliprail corner cap alu	8
RD40100	railclip (metal, 3 per m²)	8
RD40200	rail connector (metal)	8
SR30600	screw torx	8
SR50700	plug 6 x 30 mm hard / soft wall	8

<b>STAS cliprail max</b>		
RC10215	cliprail max white 150 cm	9
RC10220	cliprail max white 200 cm	9
RC10230	cliprail max white 300 cm	9
RC30215	cliprail max alu 150 cm	9
RC30220	cliprail max alu 200 cm	9
RC30230	cliprail max alu 300 cm	9
RC20215	cliprail max black 150 cm	9
RC20220	cliprail max black 200 cm	9
RC20230	cliprail max black 300 cm	9

article code	product description	page nr.
RY10100	cliprail max combi cap** white	9
RY30100	cliprail max combi cap** alu	9
RY20300	cliprail max combi cap** black	9
RD40100	railclip (metal, 3 per m²)	9
RD40200	rail connector (metal)	9
SR30600	screw torx	9
SR50700	plug 6 x 30 mm hard / soft wall	9

<b>STAS plasterrail</b>		
PR30200	plasterrail 200 cm (including safety strip)	11

<b>STAS j-rail</b>		
RJ10115	j-rail white 150 cm (4 holes per m²)	12
RJ10120	j-rail white 200 cm (4 holes per m²)	12
RJ10130	j-rail white 300 cm (4 holes per m²)	12
RJ30115	j-rail alu 150 cm (4 holes per m²)	12
RJ30120	j-rail alu 200 cm (4 holes per m²)	12
RJ30130	j-rail alu 300 cm (4 holes per m²)	12
SJ10100	j-rail screw flush head white	12
SJ30100	j-rail screw flush head alu	12
SR50700	plug 6 x 30 mm hard / soft wall	12

<b>STAS j-rail max</b>		
RJ10215	j-rail max white 150 cm (4 holes per m²)	13
RJ10220	j-rail max white 200 cm (4 holes per m²)	13
RJ10230	j-rail max white 300 cm (4 holes per m²)	13
RJ30215	j-rail max alu 150 cm (4 holes per m²)	13
RJ30220	j-rail max alu 200 cm (4 holes per m²)	13
RJ30230	j-rail max alu 300 cm (4 holes per m²)	13
SJ10200	j-rail max screw sunk head white	13
SJ30200	j-rail max screw sunk head alu	13
SR50700	plug 6 x 30 mm hard / soft wall	13

article code	product description	page nr.
<b>STAS u-rail</b>		
RP10115	u-rail white 150 cm (8 holes per m²)	14
RP10120	u-rail white 200 cm (8 holes per m²)	14
RP10130	u-rail white 300 cm (8 holes per m²)	14
RP20115	u-rail black 150 cm (8 holes per m²)	14
RP20120	u-rail black 200 cm (8 holes per m²)	14
RP20130	u-rail black 300 cm (8 holes per m²)	14
RP30115	u-rail alu 150 cm (8 holes per m²)	14
RP30120	u-rail alu 200 cm (8 holes per m²)	14
RP30130	u-rail alu 300 cm (8 holes per m²)	14
SP10100	u-rail screw white	14
SP20100	u-rail screw black	14
SP30100	u-rail screw alu	14

<b>STAS windsor &amp; riva</b>		
RP50220	windsor 120 cm	15
RP50224	windsor 240 cm	15
RP50120	riva 120 cm	15
RP50124	riva 240 cm	15

<b>STAS evoluon</b>		
TCS30020	STAS evoluon 200 cm (4 holes per m²)	16
TCS9012	distance holder evoluon	16
TCS9016	STAS evoluon hook	16
TCS9020	bending mold evoluon	16
SJ30300	evoluon screw	16
SR50700	plug 6 x 30 mm hard / soft wall	16

<b>STAS drywallXpress</b>		
RD40400	STAS drywallXpress clip	17
RD40501	STAS drywallXpress tool	17
RD40600	STAS drywallXpress set (100 x) + 1 x tool	17
RT40200	STAS drywallXpress rail connector	17

<b>STAS separate rail parts</b>		
PS50105	rail installation kit 2 m² (6 x clip/screw/plug)	
RD10100	railclip plastic	

<b>STAS plasterboard rail</b>		
PC10120	plasterboard rail 9,5 mm - 200 cm (5 holes per m²)	18
PC10130	plasterboard rail 9,5 mm - 300 cm (5 holes per m²)	18
PC10020	plasterboard rail 12,5 mm - 200 cm (5 holes per m²)	18
PC10030	plasterboard rail 12,5 mm - 300 cm (5 holes per m²)	18
PC10170	inside corner profile 9,5 mm (with corner connector)	18
PC10070	inside corner profile 12,5 mm (with corner connector)	18
PC10180	outside corner profile 9,5 mm (with corner connector)	18
PC10080	outside corner profile 12,5 mm (with corner connector)	18
RD20400	rail connector	18

\*\* combicap: 2 x end cap/1 x corner cap

## Product index

article code	product description	page nr.
RD20500	corner connector	18
SR10400	hammer fixing plug (5 per m <sup>2</sup> )	18
<hr/>		
<b>STAS drop ceiling rail</b>		19
GC10020	drop ceiling rail 200 cm	19
GC10030	drop ceiling rail 300 cm	19
GC10070	inside corner profile (with corner connector)	19
GC10080	outside corner profile (with corner connector)	19
RD20400	rail connector	19
RD20500	corner connector	19
SR10400	hammer fixing plug (5 per m <sup>2</sup> )	19

STAS prorail flat		20
RH10515	prorail flat white 150 cm (4 holes per m <sup>2</sup> ) *	20
RH10520	prorail flat white 200 cm (4 holes per m <sup>2</sup> ) *	20
RH10530	prorail flat white 300 cm (4 holes per m <sup>2</sup> ) *	20
RD20500	prorail flat corner connector white	20
RD20400	prorail flat rail connector	20
SJ10200	multirail flat screw	20
SR50700	plug 6 x 30 mm hard / soft wall	20

STAS prorail max		21
RM10415	prorail max white 150 cm	21
RM10420	prorail max white 200 cm	21
RM10430	prorail max white 300 cm	21
RM30415	prorail max alu 150 cm	21
RM30420	prorail max alu 200 cm	21
RM30430	prorail max alu 300 cm	21
VE10400	prorail max end cap white	21
VE30400	prorail max end cap alu	21
VD20500	prorail max corner cap white	21
VD30500	prorail max corner cap alu	21
RD40100	railclip (metal, 3 per m <sup>2</sup> )	21
RD40200	rail connector (metal)	21
SR30600	screw torx	21
SR50700	plug 6 x 30 mm hard / soft wall	21

STAS prorail crown		22
RH10415	prorail crown white 150 cm (4 holes per m <sup>2</sup> ) *	22
RH10420	prorail crown white 200 cm (4 holes per m <sup>2</sup> ) *	22
RH10430	prorail crown white 300 cm (4 holes per m <sup>2</sup> ) *	22
RD20500	multirail crown corner connector white	22
RD20400	multirail crown rail connector	22
SJ10200	multirail crown screw white	22
SR50700	plug 6 x 30 mm hard / soft wall	22

<b>Rail systems with lighting</b>		23
<b>STAS multirail</b>		24
VH10150	multirail white 150 cm	24

article code	product description	page nr.
VH10200	multirail white 200 cm	24
VH10300	multirail white 300 cm	24
VH30150	multirail alu 150 cm	24
VH30200	multirail alu 200 cm	24
VH30300	multirail alu 300 cm	24
VE10200	multirail end cap white	24
VE30200	multirail end cap alu	24
VD10400	multirail corner cap white	24
VD30400	multirail corner cap alu	24
VF50200	multirail conductor 12 V straight	24
VF50100	multirail conductor 12 V corner	24
RD40100	railclip (metal, 3 per m <sup>2</sup> )	24
RD40200	rail connector (metal)	24
SR30600	screw torx	24
SR50700	plug 6 x 30 mm hard / soft wall	24

STAS multirail max		25
VC10415	multirail max white 150 cm	25
VC10420	multirail max white 200 cm	25
VC10430	multirail max white 300 cm	25
VC30415	multirail max alu 150 cm	25
VC30420	multirail max alu 200 cm	25
VC30430	multirail max alu 300 cm	25
RM10420	prorail max white 200 cm *	25
RM10430	prorail max white 300 cm *	25
VE10400	multirail max end cap white	25
VE30400	multirail max end cap alu	25
VD20500	multirail max corner cap white	25
VD30500	multirail max corner cap alu	25
VF50200	multirail conductor 12 V straight	25
VF50100	multirail conductor 12 V corner	25
RD40100	railclip (metal, 3 per m <sup>2</sup> )	25
RD40200	rail connector (metal)	25
SR30600	screw torx	25
SR50700	plug 6 x 30 mm hard / soft wall	25

<b>STAS multirail crown</b>		26
RC10420	multirail crown white 200 cm (4 holes per m <sup>2</sup> )	26
RC10430	multirail crown white 300 cm (4 holes per m <sup>2</sup> )	26
RH10415	porail crown white 150 cm (4 holes per m <sup>2</sup> )	26
RH10420	porail crown white 200 cm (4 holes per m <sup>2</sup> ) *	26
RH10430	porail crown white 300 cm (4 holes per m <sup>2</sup> ) *	26
RD20500	multirail crown corner connector white	26
RD20400	multirail crown rail connector	26
VF50200	multirail conductor 12 V straight	26
VF50100	multirail conductor 12 V corner	26
SJ10200	multirail crown screw white	26
SR50700	plug 6 x 30 mm hard / soft wall	26

article code	product description	page nr.
<b>STAS multirail flat</b>		27
RC10520	multirail flat white 200 cm (4 holes per m²)	27
RC10530	multirail flat white 300 cm (4 holes per m²)	27
RD20500	multirail flat corner connector white	27
RD20400	multirail flat rail connector	27
VF50200	multirail conductor 12 V straight	27
VF50100	multirail conductor 12 V corner	27
SJ10200	multirail flat screw	27
SR50700	plug 6 x 30 mm hard / soft wall	27

<b>STAS Wi-Fi smart led</b>		28
VA15516	multirail fixture 'classic' GU5.3 + Wi-Fi smart led white 50 cm 5W	28
VA15716	multirail fixture 'classic' GU5.3 + Wi-Fi smart led white 70 cm 5W	28
VA35516	multirail fixture 'classic' GU5.3 + Wi-Fi smart led chrome 50 cm 5W	28
VA35716	multirail fixture 'classic' GU5.3 + Wi-Fi smart led chrome 70 cm 5W	28
VT40800	remote control for STAS Wi-Fi smart-led	28
VT30700	Wi-Fi smartplug	29

STAS multirail accessories		30
VL10200	multirail LED spot 3,5 W 27°	30
VL10700	multirail powered 4 W	30
VL10900	multirail LED spot 3,5 W 95°	30
VT30700	Wi-Fi smartplug	30
VA10500	multirail fixture classic white 50 cm	30
VA10700	multirail fixture classic white 70 cm	30
VA30500	multirail fixture classic chrome 50 cm	30
VA30700	multirail fixture classic chrome 70 cm	30
VA30365	multirail fixture sirius chrome 40 cm	30
VA30465	multirail fixture sirius chrome 50 cm	30
VA30665	multirail fixture sirius chrome 65 cm	30
VA30770	multirail fixture signo chrome 70 cm	30
VT20500	multirail adapter 18 W	31
VT20036	multirail adapter 36 W	31
VT20084	multirail adapter 84 W	31
VT20300	multirail adapter 96 W	31

Hooks and cords for rail systems		32
STAS hooks and cords		33
HA30900	smartspring (4 kg perlon)	33
HA30501	zipper (15 kg perlon + 20 kg steel)	33
HA30530	zipper pro (15 kg perlon + 20 kg steel)	33
CP10110	cobra + perlon cord 100 cm	33
CP10115	cobra + perlon cord 150 cm	33
CP10120	cobra + perlon cord 200 cm	33
CP10125	cobra + perlon cord 250 cm	33
CP10130	cobra + perlon cord 300 cm	33
CP10140	cobra + perlon cord 400 cm	33
SC10110	cobra + steelcable 100 cm	33
SC10115	cobra + steelcable 150 cm	33

article code	product description	page nr.
SC10120	cobra + steelcable 200 cm	33
SC10125	cobra + steelcable 250 cm	33
SC10130	cobra + steelcable 300 cm	33
SC10140	cobra + steelcable 400 cm	33
SC10220	cobra + steelcable white 200 cm (10 kg zipper)	33
SC20220	cobra + steelcable black 200 cm (10 kg zipper)	33
BM20330	blister 2 x smartspring	
BM20340	blister 2 x zipper	
BM20310	blister 2 x cobra + perlon cord 150 cm	
BM20320	blister 2 x cobra + steelcable 150 cm	
BM10280	blister cobra+perlon cord 150 cm+smartspring	
BM10230	blister cobra+perlon cord 150 cm+zipper	
BM10290	blister cobra+steelcable 150 cm+zipper	
PK10100	perlon cord on roll 100 m <sup>1</sup>	

STAS j-rail hooks, cords and rods		34
HA30900	smartspring (4 kg perlon)	34
HA30501	zipper (15 kg perlon + 20 kg steel)	34
HA30530	zipper pro (15 kg perlon + 20 kg steel)	34
PH10110	perlon cord with glider 100 cm	34
PH10115	perlon cord with glider 150 cm	34
PH10120	perlon cord with glider 200 cm	34
PH10125	perlon cord with glider 250 cm	34
PH10130	perlon cord with glider 300 cm	34
PH10145	perlon cord with glider 450 cm	34
SH10110	steel cable with glider 100 cm	34
SH10115	steel cable with glider 150 cm	34
SH10120	steel cable with glider 200 cm	34
SH10125	steel cable with glider 250 cm	34
SH10130	steel cable with glider 300 cm	34
SH10145	steel cable with glider 450 cm	34

HR30600	j-rail cylinder hook alu	34
SO10110	j-rail rod 3 mm white 100 cm	34
SO10115	j-rail rod 3 mm white 150 cm	34
SO10120	j-rail rod 3 mm white 200 cm	34
SO10130	j-rail rod 3 mm white 300 cm	34
SO30110	j-rail rod 3 mm alu 100 cm	34
SO30115	j-rail rod 3 mm alu 150 cm	34
SO30120	j-rail rod 3 mm alu 200 cm	34
SO30130	j-rail rod 3 mm alu 300 cm	34
HA30700	j-rail spring hook for rod 3 mm (15 kg)	34
HR10400	j-rail S-hook white (for cord with loop)	34
HR30400	j-rail S-hook chrome (for cord with loop)	34

STAS j-rail max hooks en rods		35
SM10110	j-rail max rod 4x4 white 100 cm	35
SM10115	j-rail max rod 4x4 white 150 cm	35
SM10120	j-rail max rod 4x4 white 200 cm	35

article code	product description	page nr.
SM10125	j-rail max rod 4x4 white 250 cm	35
SM30110	j-rail max rod 4x4 alu 100 cm	35
SM30115	j-rail max rod 4x4 alu 150 cm	35
SM30120	j-rail max rod 4x4 alu 200 cm	35
SM30125	j-rail max rod 4x4 alu 250 cm	35
SM10210	j-rail max rod 4x10 white 100 cm	35
SM10215	j-rail max rod 4x10 white 150 cm	35
SM10220	j-rail max rod 4x10 white 200 cm	35
SM10225	j-rail max rod 4x10 white 250 cm	35
HA40600	j-rail max hook for rod 4x4 (40 kg)	35
HA40500	j-rail max hook for rod 4x10 (100 kg)	35
BK10200	4x4 security set, collar + cap	35
HA40700	j-rail max security hook (40 kg)	35

STAS plasterrail hooks and cords		36
HA30900	smartspring (4 kg perlon)	36
HA30501	zipper (15 kg perlon + 20 kg steel)	36
HA30530	zipper pro (15 kg perlon + 20 kg steel)	36
PH10110	perlon cord with glider 100 cm	36
PH10115	perlon cord with glider 150 cm	36
PH10120	perlon cord with glider 200 cm	36
PH10125	perlon cord with glider 250 cm	36
PH10130	perlon cord with glider 300 cm	36
PH10145	perlon cord with glider 450 cm	36
SH10110	steelcable with glider 100 cm	36
SH10115	steelcable with glider 150 cm	36
SH10120	steelcable with glider 200 cm	36
SH10125	steelcable with glider 250 cm	36
SH10130	steelcable with glider 300 cm	36
SH10145	steelcable with glider 450 cm	36

STAS windsor & riva hooks and cords		37
HA30900	smartspring (4 kg perlon)	37
HA30501	zipper (15 kg perlon + 20 kg steel)	37
HA30530	zipper pro (15 kg perlon + 20 kg steel)	37
PL10110	perlon cord with loop 100 cm	37
PL10115	perlon cord with loop 150 cm	37
PL10120	perlon cord with loop 200 cm	37
PL10125	perlon cord with loop 250 cm	37
PL10130	perlon cord with loop 300 cm	37
SL10110	steelcable with loop 100 cm	37
SL10115	steelcable with loop 150 cm	37
SL10120	steelcable with loop 200 cm	37
SL10125	steelcable with loop 250 cm	37
SL10130	steelcable with loop 300 cm	37
HW10200	hook windsor white	37
HW30200	hook windsor alu	37
HW60200	hook windsor gold	37
HW50700	hook riva	37

article code	product description	page nr.
<b>STAS evoluon &amp; qubic hooks and cords</b>		<b>38</b>
HA30900	smartspring (4 kg perlon)	38
HA30501	zipper (15 kg perlon + 20 kg steel)	38
HA30530	zipper pro (15 kg perlon + 20 kg steel)	38
PH10110	perlon cord with glider 100 cm	38
PH10115	perlon cord with glider 150 cm	38
PH10120	perlon cord with glider 200 cm	38
PH10125	perlon cord with glider 250 cm	38
PH10130	perlon cord with glider 300 cm	38
PH10145	perlon cord with glider 450 cm	38
SH10110	steelcable with glider 100 cm	38
SH10115	steelcable with glider 150 cm	38
SH10120	steelcable with glider 200 cm	38
SH10125	steelcable with glider 250 cm	38
SH10130	steelcable with glider 300 cm	38
SH10145	steelcable with glider 450 cm	38
TCS9016	STAS evoluon hook	16

Magnetic hanging solutions		40
BM20360	magnet set	41
MB10050	white magnets (10 pieces)	41
BM20370	coloured magnet set	41
MB10040	coloured magnets (10 pieces)	41
BM20380	magnet set 2-in-1 ( <i>cobra + loop</i> )	41

<b>Other hanging solutions</b>		42
<b>STAS papergrip</b>		43
PG10105	papergrip white 50 cm	43
PG10110	papergrip white 100 cm	43
PG10115	papergrip white 150 cm	43
PG10120	papergrip white 200 cm	43
PG15005	papergrip white textured 50 cm	43
PG15010	papergrip white textured 100 cm	43
PG15015	papergrip white textured 150 cm	43
PG15020	papergrip white textured 200 cm	43
PG20105	papergrip black textured 50 cm	43
PG20110	papergrip black textured 100 cm	43
PG20115	papergrip black textured 150 cm	43
PG20120	papergrip black textured 200 cm	43
PG30105	papergrip alu textured 50 cm	43
PG30110	papergrip alu textured 100 cm	43
PG30115	papergrip alu textured 150 cm	43
PG10120	papergrip alu textured 200 cm	43
PG90001	papergrip end cap white	43
PG90002	papergrip end cap black	43
PG90003	papergrip end cap alu	43
HA40410	papergrip hook white	43
HA40412	papergrip hook alu	43
HA40411	papergrip hook black	43

# Product index

article code	product description	page nr.
RD40100	railclip (metal, 3 per m <sup>1</sup> )	43
RD40200	rail connector (metal)	43
SR30600	screw torx	43
SR50700	plug 6 x 30 mm hard / soft wall	43

STAS grip-up		44
SPG10105	grip-up white 50 cm	44
SPG10110	grip-up white 100 cm	44
SPG10115	grip-up white 150 cm	44
SPG10120	grip-up white 200 cm	44
SPG30105	grip-up alu 50 cm	44
SPG30110	grip-up alu 100 cm	44
SPG30115	grip-up alu 150 cm	44
SPG30120	grip-up alu 200 cm	44
SPG90011	grip-up end cap set l+r white	44
SPG90015	grip-up end cap set l+r alu	44
SPG90010	grip-up wall clip for wall mounting (4 clips per m²)	48

<b>STAS papergrip hanger</b>		45
HA40110	papergrip hanger	45
PG40110	papergrip hanger stabilisation set	45

<b>STAS name tag</b>		46
PG20007	name tag	46

<b>STAS stabilization support set</b>		46
SS01100	stabilization support set	46

STAS panel hooks		47
HW10300	panel hook white 11 mm	47
HW10400	panel hook white 16 mm	47
HW10600	panel hook white 18 mm	47
HW10500	panel hook white 21 mm	47
HW10700	panel hook white 26 mm	47
HW10800	panel hook white 31 mm	47
HW30700	panel hook alu interselect	47
HW30800	panel hook alu lux window frame	47
HW50100	panel hook transparant alcoa	47
HW30300	panel hook alu verwol type 1*	47
HW30400	panel hook alu verwol type 2	47
HW30500	panel hook alu sepa normal	47
HW10200	molding hook white	47
HW30200	molding hook alu	47
HW60200	molding hook gold	47
HW50400	panel hook askon chrome	47
HW50500	panel hook PE transparant	47
HW50600	panel hook maars	47

article code	product description	page nr.
<b>STAS suspended ceiling hooks</b>		49
HA10100	suspended ceiling hook white	49
HA10200	suspended ceiling hook for cords with loop	49

<b>STAS double hanger</b>		49
DH10010	double hanger 10 cm alu	49
DH10025	double hanger 25 cm alu	49
DH10040	double hanger 40 cm alu	49
DH10060	double hanger 60 cm alu	49
DH10080	double hanger 80 cm alu	49

STAS signtrack		50
PS10042	signtrack set 42 cm	50
PS10060	signtrack set 60 cm	50
PS10100	signtrack set 100 cm	50
PS10200	signtrack set 200 cm	50
PS29942	signtrack rail 42 cm	50
PS29960	signtrack rail 60 cm	50
PS29100	signtrack rail 100 cm	50
PS29200	signtrack rail 200 cm	50
HA50200	signtrack hook	50
HA30660	signtrack clamp	50
RD20600	signtrack end cap	50

<b>STAS no-tilt set</b>		52
AT10016	no-tilt set	52

STAS dibond hangers		53
BS30900	dibond hanger set 70 x 70 mm, 3 kg	53
BS30800	dibond hanger set 100 x 100 mm, 6 kg	53
BS30500	dibond hanger set 70 x 140 mm, 6 kg	53
BS30700	dibond hanger set 100 x 200 mm, 12 kg	53
BS50400	dibond hanger set ø 90, 3,5 kg	53
MB10080	selfadhesive distance caps round 13 mm (per 4 pieces)	53

STAS qubic		54
TCS1000	qubic hanger	54
TCS9002	qubic end cap black	54
SJ30200	screw qubic	54
SR50700	plug	54

<b>STAS qubic pro</b>		55
TCS1010	qubic pro hanger	55
TCS9002	qubic end cap black	55
SJ30100	screw qubic pro	55
SR50700	plug	55

<b>STAS v-tense &amp; h-tense</b>		56
TSBV150	v-tense 150 cm	56

article code	product description	page nr.
TSBV300	v-tense 300 cm	56
TSBV450	v-tense 450 cm	56
TSBH150	h-tense 150 cm	56
TSBH300	h-tense 300 cm	56
TSBH450	h-tense 450 cm	56

STAS v-tense & h-tense accessories		58
TCS30001	frame clamp (4,5 mm)	58
TCS30002	frame connector (4,5 mm)	58
TCS30003	frame clamp (8,5 mm)	58
TCS30004	frame connector (8,5 mm)	58
TCS30010	tense-frame	58
TCS30005	shelf clamp (8,5 mm)	58
TCS30006	shelf connector (8,5 mm)	58
TCS30025	shelf 20 x 30 cm	58
TCS30007	signage clip	59
MC10100	metal clips	59
HA30600	security hook	59
TCS30009	distance clamp	59
TCS30015	tense LED fame	59
VT30600	tense 12V power	59

STAS suspension sets		62
SCS40101	suspension set with adjustable loop maker	62
SCS40102	suspension set with safety hook	62
SCS40103	suspension set with panel hanger (4 mm)	62
SCS40104	suspension set with panel hanger (10 mm)	62
SCS40105	suspension set with panel hanger (6 mm)	62
SCS40106	suspension set with 2 safety hooks	62
SCS40107	suspension set with internal M6 screw thread tilt hook	62
SCS40108	suspension set with internal M6 screw thread	62
SCS40109	suspension set with external M6 screw thread tilt hook	63
SCS40110	suspension set with external M6 gripper	63
SCS40111	suspension set with eye hook	63
SCS40112	suspension set with cross anchors	63
SCS40113	suspension set with external M10 cable grip	63
SCS40201	suspension set with safety hook	63
SCS40202	suspension set with safety hook	63
SCS40203	suspension set with panel hanger (4 mm)	63
SCS40204	suspension set with panel hanger (10 mm)	63
SCS40205	suspension set with panel hanger (6 mm)	64
SCS40301	suspension set with cross anchor	64
SCS40302	suspension set with loop	64
SCS40401	suspension set with safety hook and eye plate (90°)	64
SCS40402	acoustic coil spring	64
SCS40403	drop ceiling clip	64

<b>STAS paperrail</b>		65
KN10005	paperrail white 50 cm	65

article code	product description	page nr.
KN30005	paperrail alu 50 cm	65
KN10010	paperrail white 100 cm	65
KN30010	paperrail alu 100 cm	65
KN10020	paperrail white 200 cm	65
KN30020	paperrail alu 200 cm	65
KN30100	paperrail connector set	65
SR10000	clipscrew	65
SR50700	plug 6 x 30 mm hard / soft wall	65

STAS poster strips and snaps		66
PS50030	poster strip set transparant 30 cm	66
PS50042	poster strip set transparant 42 cm	66

article code	product description	page nr.
PS50050	poster strip set transparant 50 cm	66
PS50060	poster strip set transparant 60 cm	66
PS50070	poster strip set transparant 70 cm	66
PS50084	poster strip set transparant 84 cm	66
PS50110	poster strip set transparant 100 cm	66
PS30050	poster snap set alu 50 cm	66
PS30070	poster snap set alu 70 cm	66
PS30100	poster snap set alu 100 cm	66

<b>STAS picture hits</b>		67
BM20350	picture hits	67

article code	product description	page nr.
<b>Complementary products</b>		68
<b>STAS clocktica</b>		69
KH40950W	clocktica white 95 cm	69
KH40430Z	clocktica black 95 cm	69

<b>STAS tunica</b>		69
KH40095W	tunica white 95 cm	69
KH40095Z	tunica black 95 cm	69

<b>STAS TV hanger</b>		70
TV10150	TV hanger	70

## Torx T20 screws

We supply a large part of our products with Torx T20 screws for a better grip. These can be easily mounted with a special screwdriver bit or with the STAS screwdriver bit Torx T20.

## Disclaimer STAS dibond hanger

It is the user's responsibility to carry out the mounting of the STAS dibond hanger in strict accordance with the supplied mounting instructions. All technical information and data are provided on the basis of quality tests and our many years of practical experience. These are considered an average value and are not suitable for specification. For this reason, STAS picture hanging systems cannot provide any guarantee, either explicitly or implicitly, with regard to the suitability of the STAS dibond hanger for what the user wants to hang. The user is therefore responsible for determining whether the STAS dibond hanger is suitable for the situation in question. In case of doubt, our employees will be happy to advise you.

## STAS products TÜV certified

STAS strives day after day for products of the highest quality. To guarantee the quality and independence of products, STAS has commissioned TÜV Netherlands for the testing of its products. TÜV Netherlands is an independent and recognized body that assesses the quality of products according to a set standard and has extensive experience in the field of product safety and product inspections. Under the direction of TÜV, a large part of our range of products has been tested for quality and correctness of the specified features. All products where the TÜV logo is shown, have actually been tested by TÜV Netherlands and approved for the capacity that is stated in the features of that product.





### **STAS picture hanging systems**

Esp 245 | 5633 AD Eindhoven | PO Box 1049 | 5602 BA Eindhoven | The Netherlands

T +31 (0)40 292 48 48 | [info@stasgroup.com](mailto:info@stasgroup.com)

[www.stasgroup.com](http://www.stasgroup.com)

#### **Important note regarding warranty and liability**

Products of STAS must be installed and used only in strict accordance with the latest version of the STAS picture hanging systems installation guide, available for download at [www.stasgroup.com](http://www.stasgroup.com). It is the responsibility of the installer to select the correct fasteners for the particular installation. Improper installation, misuse, misapplication or otherwise failing to completely follow seller's instructions and warnings may cause product malfunction, property damage or personal injury.